# **ACTIVA ONE**

## The family motorhome for special requirements.

Robust family motor home for premium demands with well thought-out room layout. Up to 6 seats and sleeping berths. Superb winter properties thanks to heated double floor and continuously insulated walls.



## Floor plans / Optional feature packages



#### **A ONE 570 HS**

Total length:	5.99 m
Total width:	2.32 m
Weight class:	3.5 t
Number of seats:	4
Sleeping berths:	4

- Compact length combined with spacious, bright rear seating
- Large storage area under the rear seating group
- Exclusively from Eura Mobil: Belt anchorage of the seating group with aluminium profiles in the side wall
- No storage space restriction due to belt frame
- Combination washroom with swivel washbasin and integrated shower
- Great spatial effect due to unobstructed, open view
- Longitudinal kitchen with 142-litre refrigerator in single arrangement



#### A ONE 630 LS

Total length:	6.44 m
Total width:	2.32 m
Weight class:	3.5 t
Number of seats:	4
Sleeping berths:	5

- Lots of space with a short lengthSpacious side bench seat,
- 1.90 m

  Bathroom with separate shower
- in the rear

  Plenty of freedom of movement
- in the kitchen

   Large storage area under the
- longitudinal bench
- Large seating area for up to 7 people



#### A ONE 650 HS

Total length:	6.50 m
Total width:	2.32 m
Weight class:	3.5 t
Number of seats:	4
Sleeping berths:	4

- Exclusively from Eura Mobil: Single bed comfort in the coachbuilt at a manageable length of 6.50 m
- + Sliding door to the driver's cab
- Single beds can be converted into double bed
- Two large wardrobes under single beds
- Spacious, bright rear seating area
- Combination washroom with swivel washbasin and integrated shower
- ★ Kitchen with 142-litre refrigerator in single arrangement
- Retractable TV pull-out at the seating group (optional)



#### A ONE 690 HB

Total length:	6.99 m
Total width:	2.32 m
Weight class:	3.5 t
Seats: 4	(6) (optional)
Sleeping berth	s: 6

- Classic with two comfortable double beds
- + Huge garage
- + Large floor-to-ceiling wardrobe
- + Up to 6 belted seats
- Combination washroom with swivel washbasin and integrated shower



#### A ONE 690 VB

Total length:	6.99 m
Total width:	2.32 m
Weight class	: 3.5 t
Seats:	4(6)(optional)
Sleeping ber	ths: 4(6)

- + The variable family layout
- Extra seating group for little ones in the rear
- ♣ Bunk beds in the rear, convertible into two double beds with pull-out slatted frames
- + Up to 6 fixed sleeping berths
- ◆ Up to 6 belted seats
- + Large floor-to-ceiling wardrobe
- Combination washroom with swivel washbasin and integrated shower

### **ALL-INCLUSIVE 14**

# PREMIUM FEATURES "TRAVEL PLUS PACKAGE" INCLUDED AS STANDARD:

Steering wheel controls Electric exterior mirrors

Captain's chair seats

Electric parking brake

Ambient lighting

Service trap: garage door in addition (left), depending on floor plan

Heki skylight roof hood

Manual dimming system for driver's cab

Mesh door screen

Pre-cabling for solar power system

Radio preparation incl. DAB+

Navigation system

Twin-eye rear-view camera

Automatic air conditioning

Leather steering wheel and gearshift knob

16" aluminium rims

Inductive charging station

Carpet in the driver's cab

Multi-function exterior socket External shower (cold/warm) External gas socket on passenger side

Insulated curtain

Heat exchanger

Combi 6 E heating (surcharge compared to Combi 4 / Combi 6)

Lithium battery

## OPTIONAL →

## Fiat Driving assistance package

#### **OPTIONAL FOR THE: ACTIVA ONE**

Emergency braking and lane departure assistant Rain and light sensor

Traffic sign recognition Automatic beam dipping

## Fiat driving assistance plus package

### **OPTIONAL FOR THE: ACTIVA ONE**

Emergency braking and lane departure assistant

Rain and light sensor Traffic sign recognition

Automatic beam dipping

Adaptive cruise control Intelligent speed assistant

Fatigue assistant

# Feature highlights

- GRP bodywork uses bonding technology from aviation
- Floor-wall bonding technique using PU and aluminium profiles
- ▶ Up to 2,000 kg towing load
- Continuous double floor without steps in the living area
- Rot-resistant GRP body

S = Standard

- ▶ Wood-free walls with continuous insulation
- Robust furniture with aluminium profile reinforcements (3-year guarantee)
- ▶ Bonded and all-round-sealed body composite made

- of hail-protected glass-fibre reinforced plastic (GRP) featuring Eura Mobil Sealed Structure Technology
- ▶ 10-year leak guarantee (up to 150,000 km)
- Underfloor heating effect in the floor you walk on
- Lightweight-construction floor plate made from GRP
- Insulated and heated coachbuilt
- "Cellar storage space" for travel equipment in the double floor
- ▶ Robust aluminium panels
- ▶ Hail-protected walls and roof
- > 37 cm high, continuous storage space in the length of the double floor

- ▶ Winter-proof according to EN 1646
- Isofix child seat attachment (except 570 HS and 650 HS)
- Water tanks protected in insulated and heated double floor
- > 79 cm high, heated coachbuilt with folding floor
- Storage space in the double floor can be individually divided up at the dealership
- Electric access step
- Body door with window
- Bright and modern "Beach Home" interior with beach feeling

**ACTIVA** 

## Activa One / Standard features

**ACTIVA** 

O = Optional P = Package contents - = Not possible	ACTIVA ONE
CHASSIS	
140 HP motor, Euro 6d-Final	S
CCS wide track low-slung frame (1,980 mm gauge)	S
Cruise control	S
Manual air conditioning	S
ABS + ASR	S
Driver / passenger airbag	S
Fix & Go breakdown kit	S
Daytime running light	S
ESP including Traction+ and hill descent control	S
16" wheels	S
SUPERSTRUCTURE	
Superstructure winter-proof according to EN 1646	S
Bodywork fully protected from hail with walls and roof made from GRP	S
Lightweight construction double floor throughout, insulated and heated	S
Storage space in the double floor GRP-coated (floor and walls)	s
Lightweight construction floor plate made from GRP and additional aluminium profile reinforcement	S
Wood-free GRP walls, insulated throughout	S
Floor-wall joint without cold bridges	S
Roof edge profile made from painted aluminium with joint sealing	S
Coachbuilt edge profile made from GRP with joint sealing	S
Sturdy chassis side skirts made from powder-painted aluminium	S
Heated and insulated coachbuilt	S
2 windows in the coachbuilt	S
Fold-out coachbuilt floor	S
Safety mesh in the coachbuilt	S
Wall thickness of walls/roof/floor: 30/30/38 mm	S

	OIL
Extra-large garages thanks to 37 cm high double floor	S
Electric access step	S
Trumatic Combi 4 heating	S
Seitz insulated window with mesh screen & blackout flush with the external wall	S
Service flaps with double seal, insulated inlay and self-closing locks	S
Single-key system for the entire superstructure	S
Access door with window and waste bin	S
Large tail lights in a modern design	S
Mini Heki skylight over rear section	S
Mini Heki skylight over front section	S
Isofix, 2 x in the direction of travel (except AO 650 HS and AO 570 HS) in the seating group	s
LED rear lights	S
LIVING SPACE	
Two-tone furniture décor in wild oak and beach white	S
Curtain to the driver's cab (depending on floor plan)	S
Wall units with aluminium profile reinforcement	S
Noise insulation for wall unit doors	S
7-zone cold foam mattresses	S
Flooring with footstep sound absorption	S
Upholstered fabrics: Dara	S
KITCHEN	
Refrigerator, 140 litres (AO630LS: 106L)	S
3-ring hob with electric ignition, glass cover and large work surface	S
Drawers with metal roller runners	S
Deep wall units; divided, with slide guard	S
Water tap with rotating non-drip outlet	S

	OIL
WASHROOM	
Plenty of space to move around thanks to ergonomically optimised room division	S
Centre washrooms with integrated shower cubicle (570 HS, 650 HS, 690 HB, 690 VB)	S
Separate shower on AONE 630LS	S
Storage closet and mirror	S
Cassette WC with large roller-mounted tank	S
WATER INSTALLATION	
Fresh water system made from Hartflex plastic	S
143-litre fresh water tank insulated and heated inside* (150 litres on 570 and 650 HS)	S
2 quick-acting drain valves for fresh water in the heated and insulated double floor	S
150-litre waste water tank insulated and heated in the double floor	S
Fittings with ceramic cartridges	S
Siphons to prevent odours	S
ELECTRICAL INSTALLATION	
Electrical distributor panel easily accessible under the passenger seat	S
80 Ah gel battery	S
On-board control panel with separate displays for water, battery and charging voltage	S
LED reading spotlights with real glass	S
Light switch system with household logic system	S
Ceiling lights	S
Number of 230 V power sockets: 2	S
Number of 12 V power sockets: 1	S
21 A charger	S
USB ports: 1	S
Exterior lighting over body door	S



# Activa One / Technical specifications











Δ	0	NF	57	n	HS
~	v	IN∟	J,	v	110

**A ONE 630 HS** 

**A ONE 650 LS** 

**A ONE 690 HB** 

**A ONE 690 VB** 

| BASIC VEHICLE               |   | Fiat Ducato 16" / 3.5 t  |
|-----------------------------|---|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| Engine model, Euro 6d Final |   | 103 kW (140 HP)          |
| Engine models (optional)    |   | 130 kW (180 HP)          |
| Chassis                     |   | Fiat CCS low-slung frame |
| Fueltank                    | 1 | 75 Diesel + 19 I Ad Blue |

DIMENSIONS AND	WEI	GHTS					
Double floor height	cm	37	37	37	37	37	
Load volume in the double floor (double floor + rear storage space)	I	1,700	1,500	1,700	3,800	1,700	
Size of storage door at the rear	cm	65 x 55	85 x 41	85 x 105	82 x 105	85 x 115	
Wheelbase	m	3.45	3.45	3.80	4.04	4.04	
Tyres		225/75R16C	225/75R16C	225/75R16C	225/75R16C	225/75R16C	
Total techn. perm. weight when laden	kg	3,500 // 4,250 // 4,400 (optional)	3,500 // 4,250 // 4,400 (optional)	3,500 // 4,250 // 4,400 (optional)	3,500 // 4,250 // 4,400 (optional)	3,500 // 4,250 // 4,400 (optional)	
Weight in ready-to-drive state 1)	kg	2,990 // 3,030 (optional)	2,910 // 2,950 (optional)	3,070 // 3,110 (optional)	3,030 // 3,070 (optional)	3,120 // 3,160 (optional)	
Trailer weight, braked <sup>2)</sup>	kg	2,000 // 1,800 // 1,750 (optional)	2,000 // 1,800 // 1,750 (optional)	2,000 // 1,800 // 1,750 (optional)	2,000 // 1,800 // 1,750 (optional)	2,000 // 1,800 // 1,750 (optional)	
Total length	kg	5.99	6.44	6.50	6.99	6.99	
Total width	m	2.32	2.32	2.32	2.32	2.32	
Overall height	m	3.15	3.15	3.15	3.15	3.15	
Interior width	m	2.17	2.17	2.17	2.17	2.17	
Standing height	m	1.98	1.98	1.98	1.98	1.98	
Coachbuilt height	m	78	78	78	78	78	
Dimensions of front side seating group	cm	-	190 x 100	-	190 x 100	190 x 100	
Dimensions of rear bed	cm	200 x 140 (conversion of the seating group)	-	200 x 140 (conversion of the seating group)	140 x 200	200 x 70 (x2)/ 200 x 130(x2)	
Dimensions of coachbuilt bed	cm	200 x 150	200 x 150	200 x 150 // 2 x 200 x 80	200 x 150	200 x 150	
Dimensions of rear seating group/ longitudinal seat bench	cm	200 x 140	190 x 60	200 x 140	=	2 x 60 x 50	
Sleeping areas		4	5	4	6	6	
Permissible number of people		4	4 (6) optional*	4	4 (6) optional*	4 (6) optional*	
3-point seatbelts total		4	4 (6) optional*	4	4 (6) optional*	4 (6) optional*	
Number of Isofix		ē	2	÷	2	2	
Window with mesh grille		5	5	5	5	4	
Number of service flaps		3 (4) optional	3 (4) optional	3 (4) optional	3 (4) optional	2 optional	
Wall thickness of walls, roof, floor	mm	30 / 30 / 38	30/30/38	30/30/38	30/30/38	30/30/38	
Fresh water / waste water tank	mm	150 (25)*** /150	143 (25)*** /150	150 (25)*** /150	143 (25)*** /150	143 (25)*** /150	
Battery capacity	- 1	80 Gel	80 Gel	80 Gel	80 Gel	80 Gel	
Refrigerator	Ah	142	106	142	142	142	

1) Dimensions in ready-to-drive state as per EU Directive 1230/2012: Vehicle with standard equipment according to the manufacturer specifications, 90% of the fill capacity for fuel, 75 kg (weight of the driver), water in drive position, gas (ALU11-kg gas cylinder), without special features 2) Note the weight of the vehicle/trailer combination 3) Not in conjunction with 0E 6470 wardrobe instead of single seat\* only with belts facing away from the direction of travel \*\*Only with seat belts facing away from the direction of travel and 40 H chassis \*\*\* Water volume in drive position. If there is sufficient residual cargo, the water tank with a marked capacity of 25 I can be filled to its actual capacity of 1401 \*\*\*\* Only in conjunction with 40 H chassis

# Activa One / Special features

		A ONE 570 HS	A ONE 630 LS	A ONE 650 HS	A ONE 690 HB	A ONE 690 VB	Weight in kg		
PACKAGES - FEATURE PACKAGES									
2878-24	Fiat Driving assistance package	0	0	0	0	0	1.00		
2879-24	Fiat driving assistance plus package (only in combination with driving assistance package)	0	0	0	0	0	0.00		
CHASSIS	S OPTION - ENGINE								
2112-24	180 HP Fiat engine (SC 140)	0	0	0	0	0	20.00		
2160-24	140 HP Fiat engine	S	S	S	S	S	0.00		
CHASSIS	S OPTION – SUPERIMPOSED LOAD								
2324-24	Increase of tot. mass to 3.65t	0	0	0	0	0	0.00		
2330-24	Red of tot. mass to 3.5 t	0	0	0	0	0	0.00		
2358-24	Reinforced front axle springs	0	0	0	0	0	0.00		
3111-24	Heavy-duty	0	0	0	0	0	0.00		
CHASSIS	S OPTION - OTHER OPTIONS								
2131-24	Automatic transmission Fiat	0	0	0	0	0	18.00		
2311-24	Maxi chassis 4.25t	0	0	0	0	0	40.00		
2313-24	Maxi chassis 4.4t	0	0	0	0	0	40.00		
2351-24	Spare wheel (depending on floor plan)	0	0	0	0	0	45.00		
2371-24	Fuel tank, 90 litre	0	0	0	0	0	13.50		
SUPERS	TRUCTURE OPTION – EXTERIOR								
5111-24	Rear comfort supports	0	0	0	0	0	8.00		
5122-24	Trailer coupling	0	0	0	0	0	35.00		
5521-24	"Sunroof" panoramic glass roof	0	0	0	0	0	24.50		
5534-24	Electric roof fan	0	0	0	0	0	5.50		
5550-24	2 additional service flaps	-	0	-	-	-	5.00		
6651-24	Service flap at the rear	0	-	0	0	0	3.00		
SUPERS	TRUCTURE OPTION – INTERIOR								
3613-24	All-round insulation in the driver cab	0	0	0	0	0	5.00		
6213-24	Rear mattress removed	-	-	-	0	0	0.00		
6224-24	Additional bed for 2 people (conversion of seating group)	S	S	S	S	S	11.00		
6321-24	Seatbelts + headrests opposite the direction of travel	-	0	-	0	0	30.00		
6323-24	Safety belts and headrests in direction of travel at rear	S	-	S	-	-	30.00		
6435-24	Table extension	-	0	-	0	0	3.50		
7812-24	Background lighting	0	0	0	0	0	8.00		
SUPERS	TRUCTURE OPTION – BIKE CARRIER								
5146-24	Bike carrier extension kit 4-way	0	0	0	0	0	2.00		
5147-24	Bike carrier for 2 bikes	Ο	0	0	0	0	13.00		
5148-24	Lowerable E-bike carrier	-	-	-	0	0	16.00		
SUPERS	TRUCTURE OPTION – AWNINGS								
5242-24	3.5 m awning	0	-	-	-	-	28.00		
5243-24	4 m awning	-	0	0	-	-	33.00		
5244-24	4.5 m awning	-	-	-	0	0	36.00		
SUPERS	TRUCTURE OPTION – HEATING								
7220-24	Warm air heating	S	S	S	S	S	0.00		
7510-24	Autonomous E-bike charger	0	0	0	0	0	3.00		
	<del>c</del>								

 $S = standard \ equipment \qquad O = optional \ equipment \ at \ extra \ charge \\ P = optional \ package \ equipment \qquad -= not \ possible$ 

		A ONE 570 HS	A ONE 630 LS	A ONE 650 HS	A ONE 690 HB	A ONE 690 VB	Weight in kg
SUPERSTRUCTURE OPTION - KITCHEN							
7230-24	Extractor hood	0	0	0	0	0	3.00
7238-24	Oven	О	0	0	0	0	15.00
7255-24	Large refrigerator	S	0	S	S	S	18.00
SUPERSTRUCTURE OPTION - TECHNICAL SERVICES							
7324-24	Lithium battery (2x)	0	0	0	0	0	17.50
7327-24	2nd gel battery - 80 Ah	0	0	0	0	0	27.00
SUPERSTRUCTURE OPTION - FABRICS							
6111-24	Driver cab seat in structured upholstered fabric	0	0	0	0	0	4.00
6113-24	"Milano" upholstery fabric	0	0	0	0	0	0.00
6132-24	"Dara" upholstery fabric	S	S	S	S	S	0.00
6139-24	"Genua" upholstery fabric	0	0	0	0	0	0.00
6192-24	"Maka" décor	S	S	S	S	S	0.00
6193-24	"Lasca" décor	0	0	0	0	0	0.00
6196-24	"Tisa" décor	0	0	0	0	0	0.00
6510-24	Decorative package	-	0	-	0	0	18.00
6511-24	Décor package for rear seating group	0	-	0	-	-	13.00
SUPERSTRUCTURE OPTION - MULTIMEDIA							
3215-24	Loudspeakers (2) in the superstructure	0	0	0	0	0	4.00
3441-24	Flat screen wall bracket in rear area	0	-	0	-	-	1.20
3460-24	Flat screen pull-out in front area	-	0	-	0	0	4.00
SUPERSTRUCTURE OPTION - OTHER OPTIONS							
6273-24	Carpeted floor in the superstructure	0	0	0	0	0	8.00
SUPERSTRUCTURE OPTION – FURNITURE DÉCOR							
6471-24	"Beach Home" furniture décor	S	S	S	S	S	0.00
MISCELLANEOUS							
9009	Gas safety certificate, COC document or vehicle paperwork, TÜV approval and pre-carriage (mandatory)	0	0	0	0	0	0.00
A801	Transfer costs (mandatory)	0	0	0	0	0	0.00