





Low-Profile / Contura

CONTURA

Welcome to the starry side of life.

Luxury low-profile model with sophisticated interior and exclusive features. Available on Mercedes Sprinter with extensive comfort and safety assistance systems.

Feature highlights

- Mercedes Sprinter 315 CDI
- Starlight Dome panoramic glass roof with smart-lift and soft-close function (optional)
- ▶ 19.5cm high heated double floor
- Storage space expansion through floor compartments and lowered side storage compartments (depending on floor plan)
- Single-piece GRP rear wall, shaped three-dimensionally
- Directional LED running light indicators at the rear
- LED tail lights
- AL-KO low-frame chassis with up to 4.5 t perm. total weight
- ▶ ALDE hot water heating
- Lounge sofa with back cushions and seat box cover
- ▶ 177-litre refrigerator with 35-litre freezer compartment
- Kitchen with two-part chopping board as sink cover
- > Spring arm fitting or retractable water tap
- Fresh and waste water tank frost-protected in heated double floor
- Drainage valves, insulated and heated in the central service compartment
- Electrically controlled waste water tank drainage
- Large rear garages thanks to rear lowering with fully insulated underbody trough
- Winter-proof according to EN 1646-2
- ▶ Wood-free walls with continuous insulation (rot-proof)

- Robust furniture with aluminium profile reinforcements (3-year guarantee)
- ▶ Bonded and all-round-sealed body composite made of hail-protected glass-fibre reinforced plastic (GRP) featuring Eura Mobil Sealed Structure Technology
- ▶ 10-year leak guarantee (up to 150,000 km)
- Front-wheel drive
- ▶ 150 HP motor
- More headroom in the driver's cab thanks to specially shaped roof cut-out
- Extensive and voice-controlled assistance systems (MBUX) Safety systems possible as an option
- Noise-insulated window roller blinds
- Dimmable ambient lighting
- Illuminated entrance with storage facilities
- ▶ Kitchen base unit with pull-outs instead of doors
- Comfort rain shower with back-lit shower column (depending on floor plan)
- ▶ Shower grid in the washroom
- Single-bed floor plans with adjustable bed frame and conversion into a double bed
- USB port for charging mobile devices
- Anchor rail for rear garage
- Access door with window and waste bin
- Mini Heki skylight over rear bed
- ▶ Headboard with ambient lighting

Contura / Floor plans / Technical specifications



Total length:	7.84 m
Total width:	2.32 m
Weight class:	4.5 t
Number of seats:	4
Sleeping berths:	2 (4)

- + Single beds in the rear
- + Large rear garage
- + Rear bathroom with separate shower
- → Wardrobe pull-out
- + Washroom as separate dressing room variably closable on both sides with doors
- Ergonomically designed corner kitchen with 177-litre refrigerator in individual arrangement
- ★ Comfortable L-shaped seat bench with single seat on the passenger side



Total length:	7.84 m
Total width:	2.32 m
Weight class:	4.5 t
Number of seats:	4
Sleeping berths:	4

- + Comfort seating group with two-person sofas positioned opposite each other
- + Table with folding top, height adjustable
- + Single beds in the rear
- + Large rear garage
- + Rear bathroom with separate shower
- + Wardrobe pull-out
- Washroom as separate dressing room variably closable on both sides with doors
- Ergonomically designed corner kitchen with 177-litre refrigerator in individual arrangement
- ★ Kitchen with retractable tap and foldable worktop extension

C 766 EB

C 766 EF

BASIC VEHICLE		MB Sprinter 415 CDI	MB Sprinter 415 CDI
Engine model, Euro 6d Final		103 kW (150 HP)	103 kW (150 HP)
Engine models (optional)		125 kW (170 HP)	125 kW (170 HP)
Chassis		AL-KO chassis	AL-KO chassis
Fuel tank	1	65 Diesel + 22 AdBlue	65 Diesel + 22 AdBlue

DIMENSIONS AND WEIGH	HTS		
Double floor height	cm	19.5	19.5
Load capacity in the rear storage area	I	3,000	3,000
Size of storage door at the rear	cm	2 x 85 x 115	2 x 85 x 115
Wheelbase	m	4.45	4.45
Tyres		225/75 R16C	225/75 R16C
Total techn. perm. weight when laden	kg	4,500	4,500
Weight in ready-to-drive state 1)	kg	3,595	3,585
Trailer weight, braked ²⁾	kg	2,000	2,000
Totallength	m	7.84	7.84
Total width	m	2.32	2.32
Overall height	m	2.92	2.92
Standing height	m	1.98	1.98
Dimensions of front side seating group	cm	115 x 105	100 x 65
Bed conversion of the seating group	cm	100 x 190	90 x 200
Dimensions of rear bed(s)	cm	195 x 80 / 200 x 80	195 x 80 / 200 x 80
Dimension of longitudinal bench	cm	62 x 65	100 x 65
Sleeping areas		2 (4)	2 (4)
Permissible number of people		4	4
3-point seatbelts total		4	4
Number of Isofix			2
Framed window with mesh screen		3	3
Number of service flaps		4	4
Wall thickness of walls, roof, floor	mm	30 / 30 / 38	30 / 30 / 38
Fresh water / waste water tank	1	140 (25)* /100	138 (25)*/100
Battery capacity	Ah	80 Gel	80 Gel
Refrigerator	1	177	177

1) Dimensions in ready-to-drive state as per EU Directive 1230/2012: Vehicle with standard equipment according to the manufacturer's specifications, 90% of the filling quantity for fuel, 75 kg (weight of the driver), 100% water in the drive position, gas (ALU 11-kg gas bottle), without special features | 2) Note the weight of the vehicle/trailer combination | 3) Not in combination with 6430 table with chrome-plated table base | 4) Numbers in brackets only in combination with 2324 "superimposed load to 3.65 t" or 2313 Maxi chassis (number in second bracket) | "Water quantity in drive position 251. If there is sufficient residual cargo, the water tank with a marked capacity of 251 can be filled to its actual capacity of 1401.

Contura / Feature packages

ALL-INCLUSIVE >

PREMIUM FEATURES "LUMINARY PLUS PACKAGE" INCLUDED AS STANDARD:

Bumpers & attachment parts in vehicle colour

Electric exterior mirrors

17" aluminium rims

Driver's cab comfort seats (Contura)

MBUX 10" naviceiver w. twin-eye rear-view camera

Electric parking brake

Chrome-plated radiator grille

9G-Tronic automatic transmission Mercedes-Benz

170 HP engine (surcharge compared to 150 HP)

92-litre tank

Heat-insulating glass with band filter

Carbon exterior design

Storage compartment under cockpit

Acoustic package

Climatronic automatic air conditioning

Dashboard charging package

Leather steering wheel

Inductive charging station

Traffic sign assistant

Distronic active distance assistant

Exterior paintwork obsidian black

Body door with 2-point locking and central locking system

Starlight dome

Electric roof fan

Manual dimming system for driver's cab

Mesh door screen

Pre-cabling for solar power system

Extractor hood

Carpet in the driver's cab

Multi-function exterior socket

External shower (cold/warm)

External gas socket on passenger side

Insulated curtain

Lithium battery

Truma DuoControl with remote display, de-icer and crash sensor

OPTIONAL 3

Driving assistance package

OPTIONAL FOR THE: CONTURA

Active lane departure assistant

High beam assistant

Tyre air pressure sensors

Fog light

LED high performance headlights



Low-profile / Standard features

	PROFILA T	PROFILA RS	PROFILA MERCEDES	CONTURA
CHASSIS				
140 HP engine, Euro 6d-Final	S	S	-	-
150 HP engine, Euro 6E	-	-	S	S
CCS wide track low-slung frame (1,980 mm gauge)	S	S	-	-
ALKO low-slung frame chassis	-	-	S	S
ABS	S	S	S	S
Manual air conditioning	S	S	0	0
Frame extension	S	S	S	S
Driver / passenger airbag	S	S	S	S
Electric window risers, driver's cab central locking system	5	S	S	S
Fix & Go breakdown kit	S	S	S	S
Daytime running light	S	S	S	S
16" wheels	S	S	S	S
ESP including Traction+ and hill descent control	S	S	-	-
ASR, EBD and ESP	-	-	S	S
DRIVER'S CAB				
GRP hood, insulated, with large storage compartments	S	S	S	S
Stylish fenders, wide designs	S	S	S	S
Driver cab seat in structured upholstered fabric	S	S	S	S
Storage closets in the driver's cab, visually integrated into the living room	-	-	-	S
Curved roof with elegant transition to the superstructure	-	S	-	-
GRP roof compartment with integrated lift-up bed	-	S	-	-
SUPERSTRUCTURE				
Lightweight construction double floor throughout, insulated and heated	S	S	S	S
Aluminium profile without cold bridges for floor-wall joint	S	S	S	S
Floor hatches with folding handle	S	S	S	S
Lightweight construction floor plate with aluminium inlay	S	S	S	S
Wood-free GRP walls	S	S	S	S
GRP double floor	S	S	S	S
PVC floor covering with footstep sound insulation	S	S	S	S
Roof edge profile made from powder-coated aluminium with joint sealing	S	S	S	S
Mini Heki skylight roof hood over front section	S	S	S	S
Sturdy chassis side skirts made from powder-coated aluminium	S	S	S	S
Roof, wall, flooring made from GRP, fully insulated	S	S	S	S
Wall thickness of walls/roof/floor: 30/30/38 mm	S	S	S	S
Isofix, 2 x in driving direction	S (EF/QF models only) S (675 SB,	S (EF/QF models only) S (675 SB,		S (EF models only)
Isofix, 1 x in driving direction	695 EB, 720 EB)	695 EB, 720 EB)	S (676 EB, 696 EB)	EB, QB only
Integrated double access step, insulated	S	S	-	-
Anti-slip surface on garage floor	S	S	S	S

			PROFILA	
	PROFILA T	PROFILA RS	MERCEDES	CONTURA
Trumatic Combi 4 heating, Combi	s/-	s/-	S -	S -
6 from PT/PRS 720 EB Alde hot water heating for models	S/-	S/-	S	S
from 7.50m length Seitz framed window with mesh screen flush with the external wall	S	S	S	S
Service flaps with double seal, insulated inlay and rotary-knob locks	S	S	S	S
Single key for entire superstruc-	S	S	S	S
Noise insulation for wall unit doors	S	S	S	S
Large LED rear lights in Integra design	S	S	S	-
Big LED rear lights with running light indicators	-	-	-	S
Fully moulded rear made of GRP	-	-	-	S
Diffuser elements in black gel coat integrated into single-piece rear section	-	-	-	S
Additional, lowered side and floor storage compartments (depending on floor plan)	-	-	S	S
Compartment shelves in the upper floor with access from the interior	S	S	S	-
Exterior lighting over the body door	S	S	S	S
Extra-wide access door with window and waste bin	S	S	S	S
Roof compartment for ceiling-flush lift-up bed	-	S	-	-
Lightweight upper floor	S	S	S	S
Double-moulded GRP sandwich roof	S	S	S	S
Garage lowering system with insulated well	S	S	S	S
LIVING SPACE				
"Chalet Rustico" interior	S	S	S	-
"Natural Heritage" interior	S	-	0	-
"Navarra" interior	-	-	-	S
Upholstered fabric: Como or Dara	S	S	S	S
Spacious sofa with longitudinal seat on passenger side	S	S	S	S
Table with 360° turning and sliding fixture	S	S	S	S
Two-tone furniture décor	S	S	S	S
Wall unit doors with solid spring closures	S	S	S	S
Wall units with aluminium profile reinforcement	-	-	-	S
Wall units with high-gloss coating and chrome appliqué	-	-	-	S
Wall units with storage compart- ments, indirect illumination and rear ventilation	-	-	-	S
Entrance area with illuminated handle and handy storage compartments	S	S	S	S
Rear storage spaces with anchor bars, straps and storage boxes	-	-	-	S
7-zone cold foam mattresses	S	S	S	S
Background lighting	S	S	S	S
Living space with decorative elements	S	S	S	S
Mechanical lift-up bed, integrated into the ceiling	-	S	S	-
Mini Heki skylight over rear bed	S	S	S	S

S = Standard O = Optional P = Package contents -= Not possible

	PROFILA T	PROFILA RS	PROFILA	CONTURA
Mini Heki skylight over lift-up bed	_	S	MERCEDES	_
Lounge sofa with back cushions and seat box cover	-	-	-	S
High-quality multi-zone upholstery for living room seats	-	-	-	S
Bed headboard with chrome appliqués and ambient lighting	-	-	-	S
KITCHEN				
Flow-Line design kitchen with ergonomically shaped worktop	-	-	-	S
Flowing transition from the kitchen front to the sofa on models with corner kitchen	S	S	S	S
Curved kitchen front	-	-	-	S
140 I to 160 I refrigerator (depending on floor plan)	S	S	S	S
Hob with electric ignition, glass cover and large work surface, number of burners	2	2	2	3
Pull-outs with self-closing mechanism and soft stop, metal roller runners	S	S	S	S
Divided deep wall units with slide guards	S	S	S	S
Colour-accentuated wall units	S	S	S	S
Extra-wide drawer	S	S	S	S
Chrome-plated tap	-	-	-	S
Water tap with rotating non-drip outlet (LF/EF/QF models with retractable water tap)	S	S	S	S
Worktop with indirect illumination for pull-outs	-	-	-	S
Mineral sink with two-part chopping board as sink cover	-	-	-	S
Door with reed grass inlay (depending on floor plan)	-	-	-	S
WASHROOM				
Centre washroom w. integr. shower room (660 EB, 696 EB)	S	S	S	-
Rear washroom with integrated shower cubicle (675 SB)	S	S	-	-
Rear washroom with separate shower (730 EF, 695 LF)	S	S	S	-
Separate shower (720, 730, 726, 766)	S	S	S	S
Storage closet and mirror	S	S	S	S
Large roller-mounted tank for cassette WC	S	S	S	S
230 V power socket	S	S	S	S
Bench toilet with folding wooden bench (depending on floor plan)	S	S	S	S
Bathroom with separate shower (C 766 EB/EF/QB, PT/PRS 720 EB/EF/QF, PRS 695 LF, 726 EF, QF)	S	S	S	S
Shower wall in slate look, with wall heating and reed grass inlay (C 766 EB/EF/QB, PT/PRS 720 EB/EF)	S	S	S	S
Washbasin made from mineral material	-	-	-	S

	PROFILA T	PROFILA RS	PROFILA MERCEDES	CONTURA
WATER INSTALLATION				
Fresh water system made from Hartflex plastic	S	S	S	S
Fixed pipe system for waste water	S	S	S	S
140 l insulated and heated fresh water tank in the double floor*	S	S	-	-
Insulated and heated 138 I or 140 I fresh water tank and 100 I waste water tank in the double floor *	-	-	S	S
Central service compartment with access to the water drainage taps	S (EF only)	S (EF only)	S (EF only)	S
100 I waste water tank in insulated and heated floor trough	S	S	-	-
Electrically operated waste water tank emptying at the push of a button	S	S	S	S
Fittings with ceramic cartridges	S	S	S	S
Siphons to prevent odours	S	S	S	S
Pressurised water pump	S	S	S	S
2 drainage valves for fresh water system	S	S	S	S
Drain valves insulated and heated	S	S	S	S
ELECTRICAL INSTALLATION	N			
Electrical distributor panel easily accessible under the passenger seat (730 EF under rear bed)	S	S	-	-
80 Ah gel battery	S	S	S	S
On-board control panel with separate displays for water, battery and charging voltage	S	S	S	S
LED reading spotlights	S	-	S	S
Light switch system with household logic system	S	S	S	S
Ceiling lights with double function light and/or LED ambience	S	S	S	-
Number of 230 V power sockets: 3	S	S	S	S
Number of 12 V power sockets: 1	S	S	S	S
Number of USB ports: 3	S	S	S	S
21 A charger	S	S	S	S
LED ambient lighting, dimmable and programmable	-	-	-	S
LED function lights in the centre of the ceiling and in the lateral ceiling struts	-	-	-	S

 $^{^{\}star} Water capacity in drive position 25 L If there is sufficient residual cargo, the water tank with a marked capacity of 25 L can be filled to its actual capacity of 140 L capacity of 140$

Low-profile / Special features

			F	PRO	FILA	ΑT				ı	PROFILA RS						OFIL		CON1 MERC	URA EDES	
		PT 660 EB	PT 675 SB	PT 695 EB	PT 720 EB	PT 720 EF	PT 720 QF	PT 730 EF	PRS 675 SB	PRS 695 EB	PRS 695 HB	PRS 720 EB	PRS 720 EF	PRS 720 QF	PRS 73 0 EF	PT 696 EB	PT 726 EF	PT 726 QF	C 766 EB	C 766 EF	Weight in kg
PACKAG	ES – FEATURE PACKAGES																				
2830-24	Exclusive design package	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	1.00
2834-24	Exclusive rear design	0	0	0	Ο	0	0	0	0	0	0	0	0	0	0	S	S	S	-	-	0.10
2867-24	Driving Assistance package MB CT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	Ο	1.00
2868-24	Driving Assistance package MB PT	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0	0	-	-	0.00
2878-24	Fiat Driving assistance package	0	Ο	0	Ο	0	О	0	0	0	0	0	0	0	0	-	-	-	-	-	1.00
2879-24	Fiat driving assistance plus package	0	0	0	О	0	0	0	0	0	0	0	0	0	0	-	-	-	-	-	0.00
PSM92-24	Profila T MB 696 Mondial S package	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	-	-	-	-	90.00
PSM93-24	Profila T MB 726 Mondial S package	-		-	-	-	-	-	-	-	-	-	-	-	-	-	0	0	-	-	90.00
CHASSIS	OPTION - ENGINE																				
2112-24	180 HP Fiat engine (SC 140)	0	0	0	О	0	0	0	0	0	0	0	0	0	0	-	-	-	-	-	20.00
2160-24	140 HP Fiat engine	S	S	S	S	S	S	S	S	S	S	S	S	S	S	-	-	-	-	-	0.00
CHASSIS	S OPTION - SUPERIMPOSED LOAD																				
2324-24	Increase of tot. mass to 3.65t	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-	-	0.00
2329-24	Increase of tot. mass to 4.5 t	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0	0	-	-	15.00
2330-24	Red of tot. mass to 3.5 t	0	0	0	О	0	0	0	0	0	0	0	0	О	0	-	-	-	-	-	0.00
2358-24	Reinforced front axle springs	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-	-	0.00
3111-24	Heavy-duty	0	0	0	0	0	0	0	0	0	0	0	0	0	0	S	S	S	S	S	0.00
CHASSIS	S OPTION - OTHER OPTIONS																				
2131-24	Automatic transmission Fiat	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-	-	18.00
2252-24	Tyre air pressure sensors	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-	-	0.00
2311-24	Maxi chassis 4.25t	0	0	0	0	0	-	0	0	0	0	0	0	0	0	-	-	-	-	-	40.00
2313-24	Maxi chassis 4.4t	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-	-	40.00
2351-24	Spare wheel (depending on floor plan)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-	-	45.00
2371-24	Fuel tank, 90 litre	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-	-	13.50
EXTERIO	DR DESIGN – PAINTWORK																				
2421-24	Paintwork obsidian black	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0	0	S	S	0.00
2424-24	Uni black paintwork MB	-	-	-	-	-	-	-	-	-	-	-	-	-	-	S	S	S	-	-	0.00

 $S = standard \ equipment \quad O = optional \ equipment \ at \ extra \ charge \\ P = optional \ package \ equipment \quad - = not \ possible$

		PROFILAT									PRO	FIL	A RS				OFIL				
		PT 660 EB	PT 675 SB	PT 695 EB	PT 720 EB	PT 720 EF	PT 720 QF	PT 730 EF	PRS 675 SB	PRS 695 EB	PRS 695 HB	PRS 720 EB	PRS 720 EF	PRS 720 QF	PRS 73 0 EF	PT 696 EB	PT 726 EF	PT 726 QF	C 766 EB	C 766 EF	Weight in kg
SUPERS	TRUCTURE OPTION - EXTERIOR																				
5111-24	Rear comfort supports	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	8.00
5122-24	Trailer coupling	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	35.00
5423-24	Underfloor camera for electrical tank emptying	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	О	1.00
5512-24	Window in toilet room	-	0	-	S	S	S	-	0	-	-	S	S	S	-	-	S	S	S	S	4.00
SUPERS	TRUCTURE OPTION - INTERIOR																				
3541-24	Comfort seats	-			-	-	-	-	-		-	-	-	-	-	-		-	0	0	14.40
3613-24	All-round insulation in the driver cab	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	5.00
3884-24	Integra/Contura on SB bedspread	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	О	2.00
3885-24	Bedspread on QB/DB	-	0	-	-	-	0	-	0	-	0	-	-	0	-	-	-	0	-	-	2.00
3886-24	EB bedspread	Ο	-	0	0	О	-	0	-	0	-	Ο	0	-	0	0	0	-	-	-	2.00
6213-24	Rear mattress removed	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
6224-24	Additional bed for 2 people (conversion of seating group)	0	0	0	0	0	0	0	О	0	0	Ο	0	0	0	0	0	0	0	0	11.00
6236-24	Electr. adjust. lift-up bed for 2 people	-	-	-	-	-	-	-	0	0	0	0	0	0	0	-	-	-	-	-	8.00
6237-24	Manually adjustable lift-up bed	-	-	-	-	-	-	-	S	S	S	S	S	S	S	0	0	0	-	-	39.00
6354-24	Seat: Fifth seat	-	0	0	0	-	-	-	0	0	0	0	-	-	-	-	-	-	-	-	13.00
6356-24	4th seat on driver's side	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0	-	-	26.00
SUPERS	TRUCTURE OPTION - BIKE CARRIER																				
5143-24	Bicycle carrier for 2 bicycles or 2 E-bikes (up to 60kg)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0	9.40
5146-24	Bike carrier extension kit 4-way	Ο	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2.00
5147-24	Bike carrier for 2 bikes	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	13.00
5148-24	Lowerable E-bike carrier	О	0	0	0	0	0	-	0	0	0	0	0	0	-	0	0	0	-	-	16.00

Low-profile / Special features

		PROFILAT								ı	PRO	FILA	A RS			PRC MER	OFIL				
		PT 660 EB	PT 675 SB	PT 695 EB	PT 720 EB	PT 720 EF	PT 720 QF	PT 730 EF	PRS 675 SB	PRS 695 EB	PRS 695 HB	PRS 720 EB	PRS 720 EF	PRS 720 QF	PRS 73 0 EF	PT 696 EB	PT 726 EF	PT 726 QF	C 766 EB	C 766 EF	Weight in kg
SUPERS	TRUCTURE OPTION – AWNINGS																				
5243-24	4 m awning	0	0	0	-		-		0	0	0	-	-	-	-	0	-	-	-	-	33.00
5244-24	4.5 m awning	-	-	-	0	0	0	0	-	-	-	0	0	0	0	-	0	0	-	-	36.00
5245-24	5 m awning	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0	42.00
SUPERS	TRUCTURE OPTION - HEATING																				
3617-24	Driver cab underfloor heating (heated floor mat/ Alde htg.)	-	-	-	0	0	0	0		-	-	0	0	0	0	0	0	0	0	0	4.40
7220-24	Warm air heating	S	S	S	-	-	-	-	S	S	S	-	-	-	-	-	-	-	-	-	0.00
7224-24	Heat exchanger	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-	-	5.00
7227-24	Hot water heating - Alde	-	-	-	S	S	S	S	-	-	-	S	S	S	S	S	S	S	S	S	15.00
7228-24	Combi 6 E heating	0	0	0	-	-	-	-	0	0	0		-		-	-	-		-	-	1.00
7510-24	Autonomous E-bike charger	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	3.00
SUPERS	TRUCTURE OPTION - KITCHEN																				
7230-24	Extractor hood	0	0	0	0	0	0	0	0	0	0	0		-		0	0	0	S	S	3.00
7238-24	Oven		0	-	0	0	0	0	0	-	0	0	0	0	0	-	0	0	0	0	15.00
SUPERS	TRUCTURE OPTION – TECHNICAL SERVI	CES	3																		
5221-24	Roof-mounted air-conditioning system, 230 V	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	35.00
5223-24	Roof-mounted aircon system 230 V (surch. comp. to Mondial)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	-	-	-	35.00
7324-24	Lithium battery (2x)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	17.50
SUPERS	TRUCTURE OPTION - FABRICS																				
6111-24	Driver cab seat in structured upholstered fabric	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	4.00
6113-24	"Milano" upholstery fabric	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
6132-24	"Dara" upholstery fabric	О	0	0	0	0	О	0	0	0	0	0	0	0	0	0	0	0	0	О	0.00
6135-24	"Bergamo" upholstery fabric	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	0.00
6136-24	"Pisa" upholstery fabric	0	0	0	0	0	0	0	0	0	0	0	0	О	0	0	0	0	0	0	0.00
6137-24	"Leather beige" upholstery fabric	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0	2.00
6138-24	"Leather grey" upholstery fabric	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	О	2.00
6153-24	"Como" upholstery fabric	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	0.00
6192-24	"Maka" décor	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	0.00
6193-24	"Lasca" décor	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
6194-24	"Rana" décor	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00
6195-24	"Evono" décor	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	0.00
SUPERS	TRUCTURE OPTION - MULTIMEDIA																				
3215-24	Loudspeakers (2) in the superstructure	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	-	-	4.00
3231-24	MBUX with rear-view camera (SC c/t naviceiver)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0	0	-	-	0.00
3239-24	MBUX		-			-				-						0	0	0	S	S	1.00
3241-24	Sound system	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0	5.00

S = standard equipment O = optional equipment at extra charge

P = optional package equipment - = not possible

		PROFILAT								ı	PRO	FILA	A RS				OFIL		CONT MERC	TURA EDES	
		PT 660 EB	PT 675 SB	PT 695 EB	PT 720 EB	PT 720 EF	PT 720 QF	PT 730 EF	PRS 675 SB	PRS 695 EB	PRS 695 HB	PRS 720 EB	PRS 720 EF	PRS 720 QF	PRS 73 0 EF	PT 696 EB	PT 726 EF	PT 726 QF	C 766 EB	C 766 EF	Weight in kg
3439-24	Flat screen wall bracket in front area	-	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1.20
3441-24	Flat screen wall bracket in rear area	-	-	-	-	-	-	0	-	-	-	-	-	-	0	-	-	-	0	-	1.20
3460-24	Flat screen pull-out in front area	0	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4.00
SUPERS	TRUCTURE OPTION - OTHER OPTIONS																				
6273-24	Carpeted floor in the superstructure	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	8.00
SUPERS	TRUCTURE OPTION – FURNITURE DÉCO	R																			
6475-24	"Chalet Rustico" furniture décor	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	S	-	-	0.00
6480-24	"Navarra" furniture décor	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	S	S	0.00
6481-24	"Natural Vintage" furniture décor	-	-	-	-	-	-	-	-	-	-	-	-	-	-	0	0	0	-	-	0.00
MISCELI	LANEOUS																				
9009	Gas safety certificate, COC document or vehicle paperwork, TÜV approval and pre-carriage (mandatory)	0	О	0	0	0	Ο	0	0	0	0	0	0	0	0	0	0	0	О	0	0.00
6481-24	Transfer costs (mandatory)	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0.00

Note: Special features increase the vehicle's unladen weight and reduce the cargo capacity. Spatial dimensions such as length and height measurements (external and internal) may also change as a result of special features.

** The terms and conditions of CG Car-Garantie Versicherungs-AG (CG Car-Garantie Versicherungs-Aktiengesellschaft, Gündlinger Strasse 12, 79111 Freiburg in Breisgau, Germany) apply to the conclusion of a 1, 2 or 3 year follow-on guarantee.

Try out and configure

Suitable for every taste. Which upholstery colour, which interior and which features meet your needs? Take a look around and configure your personal motorhome directly online.

All information at a glance



Click here for more information on features, upholstery, interiors and more.



Motorhome configurator



Click here to select one of our models and customise it in line with your personal preferences.