







INTEGRA LINE

The perfect choice! The Integra Line represents the ideal combination of lightweight technology, modern design and comfortable features. With its versatile range of layouts in the 7m class, it embodies a tailor-made premium motorhome with an excellent price-performance ratio, especially among the mid-size A-Class models.

Feature highlights

- ▶ Automotive design
- ▶"Short Cabin" visibility concept with short front section for extra wide field of vision
- Powerful LED main headlights (optional depending on equipment)
- LED rear lights
- Pilot's seats with arm rests and integrated seatbelts
- ▶ Electrically adjustable bus mirrors, heated
- Lift-up bed 193x 150cm in the driver's cab with 78cm headroom
- ▶ 11cm high heated double floor with floor storage compartments
- Convenient bed access thanks to wide, lowerable lift-up bed
- Large rear garages thanks to rear lowering with fully insulated underbody trough
- ▶ Winter-proof according to EN 1646-2
- ▶ Wood-free walls with continuous insulation (rot-proof)
- Robust furniture with aluminium profile reinforcements (3-year guarantee)
- ▶ Bonded and all-round-sealed body composite made of hail-protected glass-fibre reinforced plastic (GRP) featuring Eura Mobil Sealed Structure Technology
- ▶ 10-year leak guarantee (up to 150,000 km)
- Water tanks heated and insulated in the double floor or in heated trough

- ▶ Electrically controlled waste water tank drainage
- Central technology compartment
- ▶ ALDE hot water heating
- Dashboard and door trims in carbon look
- ▶ Background lighting
- ▶ 16" wheels
- ▶ ESP including Traction+ and hill descent control
- Mini Heki skylight over front section and rear bed
- Reading lights and orientation light in the driver's cab
- ▶ Noise-insulated window roller blinds
- Illuminated entrance area with storage facilities
- ▶ Kitchen base unit with pull-outs
- ▶ Worktop illuminated from underneath for illumination of the kitchen pull-outs
- Sink cover with 2-part chopping board (depending on floor plan)
- Comfort rain shower with back-lit shower column (depending on floor plan)
- Shower grid in the washroom
- Single-bed floor plans with adjustable bed frame and pull-out for conversion into a double bed
- USB ports for charging mobile devices
- Anchor rail for rear garage
- Seitz framed window flush with the external wall

Integra Line / Floor plans



IL 695 LF

Total length:	6.99 m
Total width:	2.32 m
Weight class:	3.5 t
Number of seats:	4
Sleeping berths:	4

- ◆ Large double-door wardrobe across the entire width of the vehicle at the rear
- + Wardrobe doors conveniently swivel to the walkway
- + Bicycle garage in the rear
- Bathroom with separate shower and room divider door to the front part of the vehicle
- Comfort seating group with two-person sofas positioned opposite each other
- **★** Table with folding top
- + TV pull-out on kitchen wall
- $\begin{tabular}{ll} \blacksquare & \textbf{Kitchen with retractable tap and foldable worktop extension} \\ \end{tabular}$



IL 720 EB

Total length:	7.41 m
Total width:	2.32 m
Weight class:	3.5 t
Seats:	3 (4) (5) (optional)
Sleeping berths:	4(6)(optional)

- + Single beds in the rear
- + Large rear garage
- + Rear bathroom with separate shower
- ★ Washroom as separate dressing room variably closable on both sides with sliding doors
- + Ergonomically designed corner kitchen with 142-litre refrigerator in individual arrangement
- + Comfortable L-shaped seat bench with single seat on the passenger side



IL720EF

Total length:	7.41 m
Total width:	2.32 m
Weight class:	3.5 t
Seats:	3 (4) (optional)
Sleeping berths:	4 (6) (optional)

- + Comfort seating group with two-person sofas positioned opposite each other
- + Table with folding top, height adjustable
- + Single beds in the rear
- ♣ Large rear garage
- + Rear bathroom with separate shower
- Washroom as separate dressing room variably closable on both sides with sliding doors
- Kitchen with retractable tap and foldable worktop extension



IL720QF

Total length:	7.57 m
Total width:	2.32 m
Weight class:	3.51
Seats:	2 (3) (optional)
Sleeping berths:	4(6)(optional)

- Comfort seating group with two-person sofas positioned opposite each other
- Table with folding top, height adjustable
- + Central queen bed in the rear
- + Bed with sliding slatted frame, adjustable headboard and linen compartment
- → 2 wardrobes
- ★ Rear bathroom with separate shower
- **★** Washroom variably closable on both sides with sliding doors



IL 730 EF

Total length:	7.57 m
Total width:	2.32 m
Weight class:	3.5 t
Seats:	2 (3) (optional)
Sleeping berths:	4 (6) (optional)

- + Single beds with low entry height
- + Large storage spaces under the beds
- Rear washroom across the entire width of the vehicle with separate shower
- Bedroom and dressing room separated from living room with sliding door
- + Comfort seating group with two-person sofas positioned opposite each other
- + Table with folding top
- + Kitchen with retractable tap and foldable worktop extension

Integra Line / Feature packages

ALL-INCLUSIVE >

PREMIUM FEATURES "MONDIAL PLUS PACKAGE" INCLUDED AS STANDARD:

Steering wheel controls

Electric parking brake

Heki skylight roof hood

Body door with 2-point locking and central locking system

Electric roof fan

Mesh door screen

Pre-cabling for solar power system

Navigation system

Twin-eye rear-view camera

90-litre fuel tank add-on

Automatic transmission

16" aluminium rims

Carpet in the driver's cab

180 HP engine

Heavy-duty

Maxi chassis instead of 3.5t

Automatic air conditioning

Leather steering wheel and gearshift knob

Inductive charging station

Multi-function exterior socket

External shower (cold/warm)

External gas socket on passenger side

Heat exchanger

Windscreen wiper system with winter parking position

Heat-insulating double glazing in the side windows

Elect. front blind blinds for windscreen

Lithium battery

Integra Line / Technical specifications







IL 695 LF


IL 720 EB

IL 720 EF

BASIC VEHICLE		Fiat Ducato 16" / 3.5 t	Fiat Ducato 16" / 3.5 t	Fiat Ducato 16" / 3.5 t
Engine model, Euro 6d Final		103 kW (140 HP)	103 kW (140 HP)	103 kW (140 HP)
Engine models (optional)		130 kW (180 HP)	130 kW (180 HP)	130 kW (180 HP)
Chassis		Fiat CCS low-slung frame	Fiat CCS low-slung frame	Fiat CCS low-slung frame
Fueltank	I	75 Diesel + 19 I Ad Blue	75 Diesel + 19 I Ad Blue	75 Diesel + 19 I Ad Blue

DIMENSIONS AND WEIG	HTS			
Double floor height	cm	11	11	11
Load capacity in the rear storage area	1	2,000	3,000	3,000
Size of storage door at the rear	cm	85 x 105	80 x 115	80 x 115
Wheelbase	m	4.04	4.04	4.04
Tyres		225/75 R16C	225/75 R16C	225/75 R16C
Total techn. perm. weight when laden	kg	4,250//4,400 (optional)	4,250//4,400 (optional)	4,250//4,400 (optional)
Weight in ready-to-drive state 1)	kg	3,264	3,344	3,344
Trailer weight, braked 2)	kg	1,800 // 1,750 (optional)	1,800 // 1,750 (optional)	1,800 // 1,750 (optional)
Total length	m	6.99	7.41	7.41
Total width	m	2.32	2.32	2.32
Overall height	m	2.88	2.88	2.88
Interior width	m	2.17	2.17	2.17
Standing height	m	1.98	1.98	1.98
Height above lift-up bed	cm	78	78	78
Dimensions of front side seating group	cm	160 x 65	115 x 105	100 x 65
Bed conversion of the seating group 3)	cm	200 x 115	200 x 115	200 x 100
Dimensions of rear bed	cm	-	2 x 203 x 84	2 x 203 x 83
Dimensions of lift-up bed	cm	193 x 150	193 x 150	193 x 150
Dimensions of longitudinal bench or rear seating group	cm	115 x 65	55 x 65	100 x 65
Sleeping areas		4	4 (6) optional	4 (6) optional
Permissible number of people 4)		4	4 (5) optional	4
3-point seatbelts total		4	4	4
Number of Isofix		2	1	2
Framed window with mesh screen		4	4	4
Number of service flaps		2	2	2
Wall thickness of walls, roof, floor	mm	30 / 30 / 38	30 / 30 / 38	30 / 30 / 38
Fresh water / waste water tank	I	138 (25)* /100	140 (25)* /100	138 (25)* /100
Battery capacity	Ah	80 Gel	80 Gel	80 Gel
Refrigerator	1	142	142	142

1) Dimensions in ready-to-drive state as per EU Directive 1230/2012: Vehicle with standard equipment according to the manufacturer's specifications, 90% of the filling quantity for fuel, 75 kg (weight of the driver), 100% water in the driver position, gas (ALU 11-kg gas bottle), without special features | 2) Note the weight of the vehicle/trailer combination | 3) Not in combination with 6430 table with chrome table base or 6470 wardrobe instead of single seat | 4) Numbers in brackets only in combination with 2324 "superimposed load to 3.65 t" or 2313 Maxi chassis (number in second bracket) | *Water quantity in drive position 25 l. If there is sufficient remaining load, the water tank indicated as having a capacity of 25 l can be filled to its actual capacity of 140 l.









IL 730 EF

Fiat Ducato 16" / 3.5 t	Fiat Ducato 16" / 3.5 t
103 kW (140 HP)	103 kW (140 HP)
130 kW (180 HP)	130 kW (180 HP)
Fiat CCS low-slung frame	Fiat CCS low-slung frame
75 Diesel + 19 I Ad Blue	75 Diesel + 19 I Ad Blue

11	11
1,500	1,700
80 x 115	85 x 55
4.04	4.04
225/75 R16C	225/75 R16C
4,250//4,400 (optional)	4,250//4,400 (optional)
3,414	3,404
1,800 // 1,750 (optional)	1,800 // 1,750 (optional)
7.57	7.57
2.32	2.32
2.88	2.88
2.17	2.17
1.98	1.98
78	78
100 x 65	100 x 65
200 x 100	200 x 100
190 x 147	200 x 75, 197 x 75
193 x 150	193 x 150
100 x 65	100 x 65
4 (6) optional	4 (6) optional
4	4
4	2
2	2
4	4
2	2
30 / 30 / 38	30 / 30 / 38
138 (25)* /100	138 (25)* /100
80 Gel	80 Gel
142	142





More information

Click here for more information on floor plans, upholstery, interiors and more.

