



INTE

INTEGRA

A statement for more beautiful living.

The Integra is the luxury A-Class model with modern comfort and safety features that meet the highest demands in interior ambience and functionality. Long-term travellers and globetrotters in particular will find the Integra, with its excellent year-round features, the perfect mobile home.

Feature highlights

- ▶ Full LED headlights
- ▶ LED indicators with direction-indicating running light (rear)
- ▶ Single-piece fully moulded rear
- ▶ LED rear lights
- ▶ Automotive design with RIM components and galvanic chrome-plated elements
- ▶ Professional kitchen, with 9 drawers, ergonomically shaped with full features
- ▶ Spacious bathroom with rain shower and spa atmosphere
- ▶ Shower wall with slate look, wall heating and illuminated reed grass inlay
- ▶ Luxury bedroom with illuminated ceiling and chrome look appliqués
- ▶ Living space features exclusive lounge ambience
- ▶ Electrically controlled front blinds
- ▶ Electrically controlled lift-up bed
- ▶ 19.5 cm high heated double floor
- ▶ Storage space expansion through floor compartments and lowered side storage compartments (depending on floor plan)
- ▶ AL-KO low-frame chassis with up to 5.5 t permissible total weight
- ▶ ALDE hot water heating
- ▶ Lounge sofa with back cushions, bolster and seat chest trim
- ▶ 153-litre refrigerator with 29-litre freezer compartment
- ▶ Kitchen surface made of mineral material with two-part chopping board as sink cover
- ▶ Electric lift for coffee maker in lowerable glass display case
- ▶ Fresh and waste water tank frost-protected in heated double floor
- ▶ Drainage valves, insulated and heated in the central service compartment
- ▶ Electrically controlled waste water tank drainage
- ▶ Large rear garages thanks to rear lowering with fully insulated underbody trough
- ▶ Winter-proof according to EN 1646-2
- ▶ Wood-free walls with continuous insulation (rot-proof)
- ▶ Robust furniture with aluminium profile reinforcements (3-year guarantee)
- ▶ Bonded and all-round-sealed body composite made of hail-protected glass-fibre reinforced plastic (GRP) featuring Eura Mobil Sealed Structure Technology
- ▶ 10-year leak guarantee (up to 150,000 km)
- ▶ Heavy-duty 140 HP Euro 6 motor
- ▶ Access door with window and waste bin
- ▶ Mini Heki skylight over rear bed
- ▶ Dashboard and door trims in carbon look
- ▶ Electrically adjustable bus mirrors, heated
- ▶ Background lighting

Integra / Floor plans



I760 EF

Total length:	7.89 m
Total width:	2.32 m
Weight class:	4.5 / 5.5 t
Number of seats:	4
Sleeping berths:	4

- + Comfort seating group with two-person sofas positioned opposite each other
- + Table with folding top, height adjustable
- + Single beds in the rear with slatted frame and pull-out for conversion to a double bed
- + Large rear garage with anchor rail
- + Rear bathroom with separate shower
- + Wardrobe pull-out
- + Washroom as separate dressing room variably closable on both sides with doors
- + Ergonomically designed corner kitchen with 177-litre refrigerator in individual arrangement
- + Kitchen with retractable water tap and foldable worktop extension
- + Glass showcase in the entrance area
- + TV pull-out behind the seat bench



I760 QF

Total length:	7.89 m
Total width:	2.32 m
Weight class:	4.5 / 5.5 t
Number of seats:	4
Sleeping berths:	4

- + Comfort seating group with two-person sofas positioned opposite each other
- + Table with folding top, height adjustable
- + Centrally positioned queen bed in the rear with linen compartment
- + Sliding bed slatted frame with adjustable headboard
- + Two wardrobes
- + Large rear garage thanks to bed height adjustment
- + Rear bathroom with separate shower
- + Washroom as separate dressing room variably closable on both sides with doors
- + Kitchen with retractable tap and foldable worktop extension
- + Glass showcase in the entrance area
- + TV pull-out behind the seat bench



I890 EB

Total length:	8.99 m
Total width:	2.32 m
Weight class:	5.5 t
Seats:	4 (5) (optional)
Sleeping berths:	4 (6) (optional)

- + AL-KO 3-axle chassis
- + Spacious lounge seating group for up to 7 people
- + Single beds in the rear with slatted frame and pull-out for conversion to a double bed
- + Large rear garage with anchor rail
- + Rear bathroom with separate shower
- + Tall pull-out unit
- + Wardrobe pull-out
- + Washroom as separate dressing room variably closable on both sides with doors
- + Ergonomically designed professional kitchen with 153-litre refrigerator in individual arrangement
- + Comfortable L-shaped seat bench with sofa on the passenger side
- + Glass showcase in the entrance area
- + TV pull-out behind the seat bench



I890 QB

Total length:	8.99 m
Total width:	2.32 m
Weight class:	5.5 t
Seats:	4 (5) (optional)
Sleeping berths:	4 (6) (optional)

- + AL-KO 3-axle chassis
- + Spacious lounge seating group for up to 7 people
- + Centrally positioned queen bed in the rear with linen compartment
- + Sliding bed slatted frame with adjustable headboard
- + Two wardrobes
- + Large rear garage thanks to bed height adjustment
- + Rear bathroom with separate shower
- + Tall pull-out unit
- + Washroom as separate dressing room variably closable on both sides with doors
- + Comfortable L-shaped seat bench with sofa on the passenger side
- + Glass showcase in the entrance area
- + TV pull-out behind the seat bench

Integra / Feature packages

ALL-INCLUSIVE ↘

PREMIUM FEATURES INCLUDED AS STANDARD:

Driver's cab comfort seats (Integra)	Multi-function exterior socket
Navigation system	External shower (cold/warm)
Twin-eye rear-view camera	External gas socket on passenger side
Steering wheel controls	Windscreen wiper system with winter parking position
Pre-cabling for solar power system	Heat-insulating double glazing in the side windows
Carpet in the driver's cab	Lithium battery
Automatic transmission	6 m mechanical canopy
16" aluminium rims	Heatable windscreen
Carbon exterior design	Underfloor camera for electrical tank emptying
Chrome elements at the front & rear	
LED turning light	
LED fog light	
TV pull-out in the front	
TV wall bracket in the rear	
Organisation system for the rear garage	
Sound system	
Automatic air conditioning	
Leather steering wheel and gearshift knob	
Inductive charging station	
Heat exchanger	



More information

Click here for more information on floor plans, upholstery, interiors and more.



Integra / Technical specifications



I 760 EF



I 760 QF



I 890 EB



I 890 QB

BASIC VEHICLE	Fiat Ducato Maxi	Fiat Ducato Maxi	Fiat Ducato Maxi	Fiat Ducato Maxi
Euro 6 heavy-duty engine	103 kW (140 HP)	103 kW (140 HP)	103 kW (140 HP)	103 kW (140 HP)
Engine models (optional)	130 kW (180 HP)	130 kW (180 HP)	130 kW (180 HP)	130 kW (180 HP)
Chassis	AL-KO low-frame chassis, 2-axle / 3-axle (optional)	AL-KO low-frame chassis, 2-axle / 3-axle (optional)	AL-KO low-frame chassis, 2-axle / 3-axle (optional)	AL-KO low-frame chassis, 2-axle / 3-axle (optional)
Fuel tank	l 90 Diesel + 19 l Ad Blue	90 Diesel + 19 l Ad Blue	90 Diesel + 19 l Ad Blue	90 Diesel + 19 l Ad Blue

DIMENSIONS AND WEIGHTS

Double floor height	cm	19.5	19.5	19.5	19.5
Load capacity in the rear storage area	l	3,000	1,700	3,000	1,700
Size of storage door at the rear	cm	2 x 115 x 85	2 x 105 x 80	2 x 85 x 115	2 x 85 x 105
Wheelbase	m	4.45 // 4.04 + 0.8 (optional)	4.45 // 4.04 + 0.8 (optional)	4.5 + 0.8	4.5 + 0.8
Tyres		225/75 R16C	225/75 R16C	225/75 R16C	225/75 R16C
Total techn. perm. weight when laden	kg	4,500 / 5,500	4,500 / 5,500	5,500	5,500
Weight in ready-to-drive state ¹⁾	kg	3,780 / 3,915	3,780 / 3,915	4,320	4,320
Trailer weight, braked ²⁾	kg	1,890 / 1,600	1,890 / 1,600	1,600	1,600
Total length	m	7.89	7.89	8.99	8.99
Total width	m	2.32	2.32	2.32	2.32
Overall height	m	2.92	2.92	2.92	2.92
Standing height	m	1.98	1.98	1.98	1.98
Height above lift-up bed	cm	78	78	78	78
Dimensions of front side seating group	cm	115 x 65	115 x 65	160 x 105	160 x 105
Bed conversion of the seating group	cm	190 x 100	190 x 100	130 x 200	130 x 200
Dimensions of rear bed(s)	cm	195 x 80 / 200 x 80	195 x 150	195 x 80 / 200 x 80	195 x 150
Dimensions of lift-up bed	cm	150 x 193	150 x 193	150 x 193	150 x 193
Dimensions of longitudinal bench or rear seating group	cm	100 x 60	100 x 60	135 x 65	135 x 65
Sleeping areas		4 (6) optional	4 (6) optional	4 (6) optional	4 (6) optional
Permissible number of people		4	4	4 (5) optional	4 (5) optional
3-point seatbelts total		4	4	4	4
Framed window with mesh screen		4	4	4	4
Number of service flaps		4	4	4	4
Wall thickness of walls, roof, floor	mm	30 / 30 / 38	30 / 30 / 38	30 / 30 / 38	30 / 30 / 38
Fresh water / waste water tank	l	140 (25)* / 100	140 (25)* / 100	140 (25)* / 100	140 (25)* / 100
Battery capacity	Ah	80 Gel	80 Gel	80 Gel	80 Gel
Refrigerator	l	177	177	153	153

¹⁾ Dimensions in ready-to-drive state as per EU Directive 1230/2012: Vehicle with standard equipment according to the manufacturer specifications, 90% of the fill capacity for fuel, 75 kg (weight of the driver), water in drive position, gas (ALU 11-kg gas cylinder), without special features ²⁾ Note the weight of the vehicle/trailer combination ³⁾ Not in conjunction with OE 6470 wardrobe instead of single seat* only with belts facing away from the direction of travel ** Only with seat belts facing away from the direction of travel and 40 H chassis *** Water volume in drive position. If there is sufficient residual cargo, the water tank with a marked capacity of 25 l can be filled to its actual capacity of 140 l **** Only in conjunction with 40 H chassis



Find an authorised Eura Mobil dealer near you!

INTEGRA

A-Class / Standard equipment

S = Standard O = Optional
P = Package contents - = Not possible

	INTEGRA LINE	INTEGRA		INTEGRA LINE	INTEGRA
CHASSIS			Card compartment with handy flap cover on the passenger side	S	S
140 HP, Euro 6d Final	S	-	Reading lights and orientation light in the driver's cab	S	S
Heavy-duty 140 HP Euro 6 engine	-	S	SUPERSTRUCTURE		
CCS wide track low-slung frame (1,980 mm gauge) with frame extension	S	-	Lightweight construction double floor throughout, insulated and heated	S	S
AL-KO low-slung frame chassis	-	S	Aluminium profile without cold bridges for floor-wall joint	S	S
ABS	S	S	Lightweight construction floor plate with aluminium inlay	S	S
Driver / passenger airbag	S	S	Insulated wheel arches	S	S
Manual air conditioning	S	S	Wood-free GRP walls	S	S
ESP including Traction+ and hill descent control	S	S	Double floor GRP-coated	S	S
Cruise control	S	S	Roof, wall, flooring made from GRP, fully insulated	S	S
16" wheels	S	S	Wall thickness of walls/roof/floor: 30/30/38 mm	S	S
Fix & Go breakdown kit	S	S	Isofix, 2 x in driving direction	S (EF + QF models)	-
Daytime running light	S	-	Isofix, 1 x in driving direction	S (except EF/QF models)	S
LED daytime driving light	P	S	Roof edge profile made from powder-coated aluminium with joint sealing	S	S
LED headlights	P	S	Sturdy chassis side skirts made from aluminium	S	S
LED dipped beam	P	S	Electrically actuated step	-	S
LED tail lights	S	S	Integrated double access step, insulated	S	-
LED indicators with direction-indicating running light (rear)	-	S	Alde hot water heating	S	S
DRIVER'S CAB			Duo control with remote display, de-icer and crash sensor	P	S
Driver cab seat in structured upholstered fabric	S	S	Service flaps with double seal, insulated inlay and self-closing locks	S	S
Front mask made from moulded GRP piece	S	S	Extra-wide access door with window and waste bin	S	S
Exclusive lamp unit with integrated indicator	S	S	Wall units with aluminium profile reinforcement	S	S
Panoramic windscreen (for wide field of vision)	S	S	Warm air circulation in double floor for underfloor heating effect	S	S
Eura Mobil "Short Cabin"	S	S	Exterior lighting over body door	S	S
Short front section with integrated original Fiat crash protection	S	S	Fresh and waste water tank in heated and insulated floor trough	S	-
Short dashboard with wide viewing angle to the front	S	S	Fresh and waste water tank in heated double floor	-	S
Wide-opening, narrow bonnet with direct access to windscreen wash and oil top-up nozzles	S	S	GRP rear wall with three-dimensional curving	S	S
Electrically adjustable bus mirrors, heated	S	S	Diffuser elements in black gel coat integrated into single-piece rear section	S	S
Dashboard and door trims in carbon look	-	S	Additional, lowered side and floor storage compartments (depending on floor plan)	S	S
Lift-up bed with 78 cm seat height	S	S	Extra-wide access door with window and waste bin	S	S
Electrically controlled lift-up bed	O	S	Lightweight upper floor	S	S
Storage closets under the lift-up bed	S	S	Double-moulded GRP sandwich roof	S	S
Ambient lighting below the lift-up bed	S	S	Garage lowering system with insulated well	S	S
Mini Heki skylight over lift-up bed	S	S	Diffuser elements in black gel coat integrated into single-piece rear section	-	S
Driver's door with large storage compartments	S	S	Central service compartment with access to the water drainage taps	-	S
Electric control panel within easy reach in the covered compartment on the passenger side	S	-	Additional, lowered side and floor storage compartments (depending on floor plan)	-	S
Electric window raiser for the driver's door	S	S	Garage doors on the driver and passenger side	S	S
Extensive noise insulation	S	S	Rear storage spaces with anchor bars, straps and storage boxes	-	S
Driver's cab with automotive design	S	S	Anti-slip surface on garage floor	S	S
GRP front mask with headlight housings in RIM technology	S	S	Mesh screen for the body door	P	S
Navigation lights behind windscreen	-	S	Heki skylight roof hood over seating group	P	S
Lowered radiator bridge for easy access to the engine compartment	S	S	Mini Heki skylight over rear bed	S	S
Bonnet with gas spring assistance	S	S	Mini Heki skylight over front section	S	S
Diffuser elements in black gel coat integrated into single-piece front mask	-	S	Insulated Seitz framed window with mesh screen flush with the external wall	S	S
Moulded parts under the lift-up bed for smooth optical transition to the living area	-	S	Window roller blinds with noise insulation	S	S
Pilot's seats with arm rests and integrated seatbelts	S	S	Carpeted floor in the superstructure	O	S
Driver's cab door with double locking and central remote locking	S	S	Garage lowering system with insulated well	S	S
Sliding windows for passenger side	S	S			
Concertina darkening system for driver's cab	S	S			
Electrically controlled front blinds	O	S			
Sun visors with steplessly adjustable roller blinds, integrated into the headlining	-	S			

A-Class / Standard equipment

S = Standard O = Optional
P = Package contents - = Not possible

	INTEGRA LINE	INTEGRA		INTEGRA LINE	INTEGRA
LIVING SPACE			WASHROOM		
"Chalet" interior	S	-	Separate shower on the IL 695 LF, IL 720 QF, IL 730 EF, IL 720 EB and IL 720 QB models	S	-
Navarra interior	-	S	Storage closet and mirror	S	-
Upholstered fabric: Como or Dara	S	S	Cassette toilet with large roller-mounted tank	S	S
Table with 360° turning and sliding fixture	S	-	230 V power sockets	S	S
Double-pedestal table (on I 890 EB and I 890 QB) with chrome-plated table legs and marble-look tabletop	-	S	Bathroom with separate shower cubicle on IL 720 EF, QF, I 760 EF, I 760 QF, I 890 EB and I 890 QB	S	S
Living space with decorative elements (and wall pockets)	S	S	Variable-use centre washroom with integrated shower and swivel washbasin on IL 650 HS, IL 660 EB, IL 695 EB, IL 695 HB	S	S
7-zone cold foam mattresses	S	S	Comfort rain shower with back-lit shower column (depending on floor plan)	S	S
Stable slatted frames, with underneath ventilation	S	S	Shower wall with slate look, wall heating and illuminated reed grass inlay	-	S
Wall unit doors with solid spring closures	-	S	Toilet room with mirrored cabinet and base unit	S	S
Noise insulation for wall unit doors	S	S	Window in toilet room (layout-dependent)	O	S
Background lighting	S	S	Washbasin made from mineral material	-	S
Central control panel unit behind cover plate above entrance door	-	S	Door to sleeping area on IL 720, 730, Integra	S	S
Wall units with high-gloss coating and chrome appliqué	-	S	WATER INSTALLATION		
Wall units with storage compartments, indirect illumination and rear ventilation	-	S	Fresh water system made from Hartflex plastic	S	S
Wall unit profile made from aluminium with integrated stop attenuation for furniture doors	S	S	Fixed pipe system for service water / waste water	S	S
Entrance area with illuminated handle and handy storage compartments	-	S	140 l insulated and heated fresh water tank in the double floor *	S	-
Wine cabinet with glass and wine bottle holders	-	S	150 l insulated and heated fresh water tank in the double floor *	S	-
Shoe compartment in the entrance area	-	S	2 drainage valves for fresh water system	S	-
Compartment shelves in the upper floor with access from the interior	S	S	Drainage valves insulated and heated in the central service compartment	-	S
Lounge sofa with back cushions and seat box cover	-	S	100 l waste water tank in insulated and heated floor trough	S	-
High-quality multi-zone upholstery for living room seats	-	S	100 l insulated and heated waste water tank in the double floor	-	S
High-quality headrests and neck padding on the seats with belts	-	S	Electrically operated waste water tank emptying at the push of a button	S	S
Bed headboard with chrome appliqués and ambient lighting	-	S	Fittings with ceramic cartridges	S	S
Rear bed in all QB models, height-adjustable	P	S	Siphons to prevent odours	S	S
KITCHEN			ELECTRICAL INSTALLATION		
138 l to 153 l refrigerator (depending on floor plan)	S	-	Electrical distributor panel easily accessible in the cover on the passenger seat	S	-
153/177 l refrigerator with 29/35 l freezer compartment	-	S	80 Ah gel battery	S	S
3-burner hob with electric ignition, glass cover and large work surface	S	-	On-board control panel with separate displays for water, battery and charging voltage	S	S
Worktop-mounted 3-burner hob with two-part glass cover	-	S (1890 EB/QB)	LED reading spotlights with real glass	S	S
Drawers with metal roller runners	S	S	Light switch system with household logic system	S	S
Extra-wide drawers with self-closing mechanism and soft-stop	S	-	LED ceiling light	S	-
7 pull-outs with self-closing mechanism and soft stop	-	S	Number of 230 V power sockets: 3	S	S
Water tap with rotating non-drip outlet	S	-	Number of 12 V power sockets: 1	S	S
Chrome-plated tap with spring arm	-	S	21 A charger	S	S
Ergonomically shaped kitchen block	S	S	LED ambient lighting, dimmable and programmable	-	S
Worktop with indirect illumination for pull-outs	-	S	LED function lights in the centre of the ceiling and in the lateral ceiling struts	-	S
Oven	O	S	USB charging ports in the living room and bedroom	S	S
Extractor hood	O	S	TV preparation	S	S
Stainless steel sink with two-part chopping board as sink cover	-	S			
Illuminated storage compartments with slate look	-	S			
Electric lift for coffee maker in lowerable glass display case	-	S			
Pull-out cloakroom at the transition to the washroom (depending on floor plan)	-	S			
Door with reed grass inlay	-	S			

* Water capacity in drive position 25 l. If there is sufficient residual cargo, the water tank with a marked capacity of 25 l can be filled to its actual capacity of 140 l

A-Class / Special features

S = standard equipment O = optional equipment at extra charge
P = optional package equipment - = not possible

		INTEGRA LINE					INTEGRA				Weight in kg
		IL 695 LF	IL 720 EB	IL 720 EF	IL 720 QF	IL 730 EF	1760 EF	1760 QF	1890 EB	1890 QB	
6236-24	Electr. adjust. lift-up bed for 2 people	O	O	O	O	O	S	S	S	S	8.00
6237-24	Manually adjustable lift-up bed	S	S	S	S	S	-	-	-	-	39.00
6354-24	Seat: Fifth seat	-	O	-	-	-	-	-	O	O	13.00
6430-24	Table with chrome-plated table base	-	-	-	-	-	S	S	S	S	2.00
6431-24	Storage cabinets instead of lift-up bed	O	O	O	O	O	O	O	O	O	-8.00
6657-24	Organisation system for the rear garage	-	-	-	-	-	O	O	O	O	4.80
SUPERSTRUCTURE OPTION – BIKE CARRIER											
5143-24	Bicycle carrier for 2 bicycles or 2 E-bikes (up to 60kg)	-	-	-	-	-	O	O	O	O	9.40
5146-24	Bike carrier extension kit 4-way	O	O	O	O	O	O	O	O	O	2.00
5147-24	Bike carrier for 2 bikes	O	O	O	O	O	-	-	-	-	13.00
5148-24	Lowerable E-bike carrier	O	O	O	O	-	-	-	-	-	16.00
SUPERSTRUCTURE OPTION – AWNINGS											
5244-24	4.5 m awning	O	-	-	-	-	-	-	-	-	36.00
5245-24	5 m awning	-	O	O	O	O	-	-	-	-	42.00
5246-24	5.5 m awning	-	-	-	-	-	S	S	-	-	62.70
5250-24	6 m awning	-	-	-	-	-	-	-	S	S	66.70
SUPERSTRUCTURE OPTION – HEATING											
3617-24	Driver cab underfloor heating (heated floor mat/Alde htg.)	O	O	O	O	O	O	O	O	O	4.40
7227-24	Hot water heating - Alde	S	S	S	S	S	S	S	S	S	15.00
7510-24	Autonomous E-bike charger	O	O	O	O	O	O	O	O	O	3.00
SUPERSTRUCTURE OPTION – KITCHEN											
7230-24	Extractor hood	O	O	O	O	O	S	S	S	S	3.00
7238-24	Oven	O	O	O	O	O	S	S	S	S	15.00
SUPERSTRUCTURE OPTION – TECHNICAL SERVICES											
5221-24	Roof-mounted air-conditioning system, 230 V	O	O	O	O	O	O	O	O	O	35.00
5223-24	Roof-mounted aircon system 230 V (surch. comp. to Mondial)	O	O	O	O	O	-	-	-	-	35.00
7324-24	Lithium battery (2x)	O	O	O	O	O	O	O	O	O	17.50
7341-24	Pre-cabling for solar power system	O	O	O	O	O	O	O	O	O	1.50
7516-24	Dual-control CS with de-icer	O	O	O	O	O	S	S	S	S	1.00

Note: Special features increase the vehicle's unladen weight and reduce the cargo capacity. Spatial dimensions such as length and height measurements (external and internal) may also change as a result of special features.

S = standard equipment O = optional equipment at extra charge
P = optional package equipment - = not possible

		INTEGRA LINE				INTEGRA				Weight in kg
		IL 695 LF	IL 720 EB	IL 720 EF	IL 720 QF	IL 730 EF	I 760 EF	I 760 QF	I 890 EB	
SUPERSTRUCTURE OPTION – FABRICS										
6111-24	Driver cab seat in structured upholstered fabric	S	S	S	S	S	S	S	S	4.00
6113-24	"Milano" upholstery fabric	O	O	O	O	O	O	O	O	0.00
6132-24	"Dara" upholstery fabric	O	O	O	O	O	O	O	O	0.00
6136-24	"Pisa" upholstery fabric	O	O	O	O	O	O	O	O	0.00
6137-24	"Leather beige" upholstery fabric	-	-	-	-	-	O	O	O	2.00
6138-24	"Leather grey" upholstery fabric	-	-	-	-	-	O	O	O	2.00
6153-24	"Como" upholstery fabric	S	S	S	S	S	S	S	S	0.00
6192-24	"Maka" décor	S	S	S	S	S	S	S	S	0.00
6193-24	"Lasca" décor	O	O	O	O	O	O	O	O	0.00
6194-24	"Rana" décor	O	O	O	O	O	O	O	O	0.00
SUPERSTRUCTURE OPTION – MULTIMEDIA										
3215-24	Loudspeakers (2) in the superstructure	O	O	O	O	O	-	-	-	4.00
3241-24	Sound system	-	-	-	-	-	O	O	O	5.00
3439-24	Flat screen wall bracket in front area	O	O	O	O	O	O	O	-	1.20
3441-24	Flat screen wall bracket in rear area	-	-	-	-	O	S	S	S	1.20
SUPERSTRUCTURE OPTION – OTHER OPTIONS										
3681-24	Elect. front blind	O	O	O	O	O	S	S	S	6.70
6273-24	Carpeted floor in the superstructure	O	O	O	O	O	S	S	S	8.00
SUPERSTRUCTURE OPTION – FURNITURE DÉCOR										
6475-24	"Chalet" furniture décor	S	S	S	S	S	-	-	-	0.00
6480-24	"Navarra" furniture décor	-	-	-	-	-	S	S	S	0.00
MISCELLANEOUS										
9009	Gas safety certificate, COC document or vehicle paperwork, TÜV approval and pre-carriage (mandatory)	O	O	O	O	O	O	O	O	0.00
A801	Transfer costs (mandatory)	O	O	O	O	O	O	O	O	0.00