







PROFILA RS



For relaxed travel.

The Profila with lift-up bed hidden flush with the ceiling.

During the day, full standing height is maintained under the bed.

The bed, which can be electrically operated on demand,
lies protected in an elegant and stable GRP roof cassette.

Feature highlights

- Lift-up bed flush with ceiling with storage compartments in stable GRP roof cassette
- ▶ Bed size (lift-up bed) 190x143cm
- Also wall units under the lift-up bed in one visual line
- Full standing height of 198 cm under the lift-up bed
- ▶ 11cm high heated double floor with floor storage compartments
- Elegant roof transition between driver's cab and body
- All layouts < 3.5 T mass in ready-to-drive condition
- Large rear garages thanks to rear lowering with fully insulated underbody trough
- ▶ Wood-free walls with continuous insulation (rot-proof)
- New furniture architecture in "Chalet Rustico" design (3-year guarantee)
- ▶ Bonded and all-round-sealed body composite made of hail-protected glass-fibre reinforced plastic (GRP) featuring Eura Mobil Sealed Structure Technology
- ▶ 10-year leak guarantee (up to 150,000 km)
- Water tanks heated and insulated in the double floor or in heated trough
- Electrically controlled waste water tank drainage
- With electrically controlled lift-up bed on request
- ▶ 140 HP motor, Euro 6d-Final
- Noise-insulated window roller blinds (Seitz comfort roller blinds)
- ▶ Background lighting

- Illuminated entrance area with space for a TV of up to 32" (all floor plans)
- Illuminated entrance with storage facilities
- Kitchen base unit with pull-outs instead of doors
- Worktop illuminated from underneath for illumination of the kitchen pull-outs
- Comfort rain shower with back-lit shower column (depending on floor plan)
- Shower grid in the washroom
- ▶ Single-bed floor plans with adjustable bed frame and pull-out for conversion into a double bed
- USB port for charging mobile devices
- Anchor rail for rear garage
- Seitz framed window flush with the external wall
- Winter-proof acc. to EN 1646-1 in conjunction w. all-round insulation (3613)
- Access door with window and waste bin
- Mini Heki skylight over rear bed
- ▶16" wheels
- Exterior lighting over body door
- ▶ 230 V power socket in washroom
- Combi 6 heating starting with 720 EB, 720 EF
- Alde hot water heating for models from 7.50m length
- ▶ Passenger airbag
- Manual air conditioning system in the driver's cab
- Traction+ with hill descent control

Profila RS / Floor plans



PRS 675 SB

Total length:	6.99 m
Total width:	2.32 m
Weight class:	3.5 t
Number of seats:	4
Sleeping berths:	4 (6) (optional)

- Longitudinally installed double bed with particularly comfortable entry height
- Rear bathroom with integrated shower cubicle
 Ergonomically designed corner kitchen with
- 140-litre refrigerator in individual arrangement
 Large storage space under the rear bed for camping furniture etc.
- + Floor-to-ceiling wardrobe
- ★ Comfortable L-shaped seating group with 1.1 m-wide sofa on the passenger side
- → Generous open space effect due to free lines of sight



PRS 695 EB

Total length:	6.99 m
Total width:	2.32 m
Weight class:	3.5 t
Seats:	4 (5) (optional)
Sleeping berths:	4 (6) (optional)

- + Single beds in the rear
- ◆ Large rear garage
- Ergonomically designed corner kitchen with 142-litre refrigerator
- + Comfortable L-shaped seating group
- Washroom with shower and swivel washbasin



PRS 695 HB

lotallength:	6.99 m
Total width:	2.32 m
Weight class:	3.5 t
Seats:	4 (5) (optional)
Sleeping berths:	4 (6) (optional)

- → Double bed in the rear with comfortable side entry into the rear bed
- Washroom with integrated shower and swivel washbasin
- + Floor-to-ceiling wardrobe
- → Ergonomic corner kitchen with 142-litre refrigerator in individual arrangement
- Comfortable L-shaped seating group with single seat on the passenger side



PRS 720 EB

7.41 m
2.32 m
3.5 t
4(5)(optional)
4 (6) (optional)

- + Single beds in the rear
- + Large rear garage
- + Rear bathroom with separate shower
- Washroom as separate dressing room variably closable on both sides with sliding doors
- Ergonomically designed corner kitchen with 142-litre refrigerator in individual arrangement
- + Comfortable L-shaped seat bench with single seat on the passenger side



Total length:	7.41 m
Total width:	2.32 m
Weight class:	3.5 t
Seats:	3 (4) (5) (optional)
Sleeping berths:	4(6)(optional)

- Comfort seating group with two-person sofas positioned opposite each other
- ♣ Single beds in the rear
- + Large rear garage
- Rear bathroom with separate shower
- Washroom as separate dressing room variably closable on both sides with sliding doors
- Ergonomically designed corner kitchen with 142-litre refrigerator in individual arrangement



PRS 720 QF

Total length:	7.57 m
Total width:	2.32 m
Weight class:	3.5 t
Seats:	3 (4) (optional)
Sleening horths:	4(6) (ontional)

- ★ Comfort seating group with two-person sofas positioned opposite each other
- + Table with folding top
- + Central queen bed in the rear
- → Bed with sliding slatted frame, adjustable headboard and linen compartment
- Large rear garage thanks to height-adjustable bed
- Washroom variably closable on both sides with sliding doors



PRS 730 EF

Total length:	7.57 m
Total width:	2.32 m
Weight class:	3.5 t
Seats:	3 (4) (optional)
Sleening herths:	2 (4) (ontional)

- + Single beds with low entry height
- + Large storage spaces under the beds
- + Rear washroom across the entire width of the vehicle with separate shower
- → Bedroom separated from the living room with sliding door
- Comfort seating group with two-person sofas positioned opposite each other
- + Table with folding top

Profila RS / Feature packages

ALL-INCLUSIVE >

PREMIUM FEATURES "MONDIAL PLUS PACKAGE" **INCLUDED AS STANDARD:** Bumpers painted in the vehicle colour Leather steering wheel and gearshift knob Steering wheel controls 16" aluminium rims

Electric exterior mirrors

Captain's chair seats

Electric parking brake

Radiator grille in piano black

Body door with 2-point locking and central locking system

Roof - "Sun Roof" panoramic glass roof insulated

Electric roof fan

Manual dimming system for driver's cab

Mesh door screen

Pre-cabling for solar power system

Radio preparation incl. DAB+

Navigation system

Twin-eye rear-view camera

Automatic air conditioning

Inductive charging station

Carpet in the driver's cab

Multi-function exterior socket

External shower (cold/warm)

External gas socket on passenger side

Insulated curtain

Heat exchanger

Combi 6 E heating (surcharge compared to Combi 4 / Combi 6)

Exclusive rear design

Lithium battery

OPTIONAL >

Driving assistance package

OPTIONAL FOR THE: PROFILA RS

Emergency braking and lane departure assistant

Rain and light sensor

Traffic sign recognition

Automatic beam dipping

Fiat driving assistance plus package

OPTIONAL FOR THE: PROFILA RS

Emergency braking and lane departure assistant

Rain and light sensor

Traffic sign recognition

Automatic beam dipping

Adaptive cruise control

Intelligent speed assistant

Fatigue assistant

Profila RS / Technical specifications







Р	R9	3 6	7	5.5	SB
		<i>.</i>	,,,		JU.


PRS 695 EB

PRS 695 HB

BASIC VEHICLE		Fiat Ducato 16" / 3.5 t	Fiat Ducato 16" / 3.5 t	Fiat Ducato 16" / 3.5 t
Engine model, Euro 6d Final		103 kW (140 HP)	103 kW (140 HP)	103 kW (140 HP)
Engine models (optional)		130 kW (180 HP)	130 kW (180 HP)	130 kW (180 HP)
Chassis		Fiat CCS low-slung frame	Fiat CCS low-slung frame	Fiat CCS low-slung frame
Fueltank	1	75 Diesel + 19 I Ad Blue	75 Diesel + 19 I Ad Blue	75 Diesel + 19 I Ad Blue

HTS			
cm	11	11	11
I	1,500	2,700	2,700
cm	85 x 70	85 x 115	85 x 115
m	4.04	4.04	4.04
	225/75 R16C	225/75 R16C	225/75 R16CP
kg	3,500 // 4,250 // 4,400 (optional)	3,500 // 4,250 // 4,400 (optional)	3,500 // 4,250 // 4,400 (optional)
	3,127 // 3,167 (optional)	3,097 // 3,137 (optional)	3,127 // 3,167 (optional)
kg	2,000 // 1,800 // 1,750 (optional)	2,000 // 1,800 // 1,750 (optional)	2,000 // 1,800 // 1,750 (optional)
m	6.99	6.99	6.99
m	2.32	2.32	2.32
m	3.00	3.00	3.00
m	2.17	2.17	2.17
m	1.98	1.98	1.98
cm	115 x 105	115 x 105	115 x 105
cm	200 x 124	200 x 115	200 x 115
cm	195 x 137	190 x 80, 185 x 80	217 / 190 x 150
cm	193 x 140	193 x 140	193 x 140
cm	110 x 65	55 x 65	55 x 65
	4 (6) optional	4 (6) optional	4 (6) optional
	4	4 (5) optional	4 (5) optional
	4	4	4
	1	1	1
	4	4	4
	2	2	2
mm	30 / 30 / 38	30 / 30 / 38	30 / 30 / 38
1	140 (25)* /100	140 (25)* /100	140 (25)* /100
Ah	80 Gel	80 Gel	80 Gel
1	140	142	142
	cm I cm m kg kg m m cm cm cm cm cm cm	cm 11 1 1,500 cm 85 x 70 m 4.04 225/75 R16C kg 3,500 // 4,250 // 4,400 (optional) 3,127 // 3,167 (optional) kg 2,000 // 1,800 // 1,750 (optional) m 6.99 m 2.32 m 3.00 m 2.17 m 1.98 cm 115 x 105 cm 200 x 124 cm 195 x 137 cm 193 x 140 cm 110 x 65 4 (6) optional 4 4 4 1 4 1 4 2 mm 30 / 30 / 38 1 140 (25)* /100 Ah 80 Gel	cm 11 11 I 1,500 2,700 cm 85 x 70 85 x 115 m 4.04 4.04 225/75 R16C 225/75 R16C kg 3,500 // 4,250 // 4,400 (optional) 3,500 // 4,250 // 4,400 (optional) s,127 // 3,167 (optional) 3,097 // 3,137 (optional) kg 2,000 // 1,800 // 1,750 (optional) 2,000 // 1,800 // 1,750 (optional) m 6.99 6.99 m 2.32 2.32 m 3.00 3.00 m 2.17 2.17 m 1.98 1.98 cm 115 x 105 115 x 105 cm 200 x 124 200 x 115 cm 193 x 140 193 x 140 cm 193 x 140 193 x 140 cm 110 x 65 55 x 65 4 4(6) optional 4 4 4(5) optional 4 4 4 4 1 1 1 4

1) Dimensions in ready-to-drive state as per EU Directive 1230/2012: Vehicle with standard equipment according to the manufacturer's specifications, 90% of the filling quantity for fuel, 75 kg (weight of the driver), 100% water in the drive position, gas (ALU 11-kg gas bottle), without special features | 2) Note the weight of the vehicle/trailer combination | 3) Not in combination with 6430 table with chrome-plated table base | 4) Numbers in brackets only in combination with 2324 "superimposed load to 3.65 t" or 2313 Maxi chassis (number in second bracket) | *Water quantity in drive position 25 l. If there is sufficient residual cargo, the water tank with a marked capacity of 25 I can be filled to its actual capacity of 140 I.







75 Diesel + 19 I Ad Blue



Fiat Ducato 16" / 3.5 t 103 kW (140 HP) 130 kW (180 HP) Fiat CCS low-slung frame 75 Diesel + 19 I Ad Blue

PRS 720 EF



PRS 720 QF
Fiat Ducato 16" / 3.5 t

103 kW (140 HP)
130 kW (180 HP)
Fiat CCS low-slung frame
75 Diesel + 19 I Ad Blue



PRS 730 EF

Fiat Ducato 16" / 3.5 t

103 kW (140 HP)
130 kW (180 HP)

Fiat CCS low-slung frame
75 Diesel + 19 I Ad Blue

11	11	11	11
3,000	3,000	1,500	1,500
80 x 115	80 x 115	80 x 115	85 x 55
4.04	4.04	4.04	4.04
225/75 R16C	225/75 R16C	225/75 R16C	225/75R16C
3,500 // 4,250 // 4,400 (optional)			
3,237 // 3,277 (optional)	3,297 // 3,337 (optional)	3,357 // 3,397 (optional)	3,337 // 3,377 (optional)
2,000 // 1,800 // 1,750 (optional)			
7.41	7.41	7.57	7.57
2.32	2.32	2.32	2.32
3.00	3.00	3.00	3.00
2.17	2.17	2.17	2.17
1.98	1.98	1.98	1.98
115 x 105	99 x 60	99 x 60	99 x 60
200 x 115	200 x 100	200 x 100	200 x 100
203 x 84, 203 x 84	2 x 203 x 83	190 x 150	200 x 75, 197 x 75
193 x 140	193 x 140	193 x 140	193 x 140
55 x 65	99 x 60	99 x 60	99 x 60
4 (6) optional	4 (6) optional	4 (6) optional	2/4 (optional)
3 (4) (5) optional	2 (3) (4) optional	2 (3) (4) optional	2 (3) (4) optional
4	4	4	4
1	2	2	2
4	4	4	4
2	2	2	2
30 / 30 / 38	30 / 30 / 38	30 / 30 / 38	30 / 30 / 38
140 (25)* /100	138 (25)* /100	138 (25)* /100	138 (25)* /100
80 Gel	80 Gel	80 Gel	80 Gel
142	142	142	142





More information

Click here for more information on floor plans, upholstery, interiors and more.

