



PRO



PROFILA T

New furniture architecture with "Chalet Rustico" interior design

The elegant comfort tourer.

Modern low-profile model with lightweight technology, double floor and extensive features. Spacious room layout with stylish, high-quality interior. Manageable handling and excellent all-season characteristics.

Feature highlights

- ▶ 11cm high heated double floor with floor storage compartments
- ▶ Elegant roof transition between driver's cab and body
- ▶ All layouts < 3.5 T mass in ready-to-drive condition
- ▶ Large rear garages thanks to rear lowering with fully insulated underbody trough
- ▶ Winter-proof according to EN 1646-2
- ▶ Wood-free walls with continuous insulation (rot-proof)
- ▶ New furniture architecture in "Chalet Rustico" design (3-year guarantee)
- ▶ Bonded and all-round-sealed body composite made of hail-protected glass-fibre reinforced plastic (GRP) featuring Eura Mobil Sealed Structure Technology
- ▶ 10-year leak guarantee (up to 150,000 km)
- ▶ Water tanks heated and insulated in the double floor or in heated trough
- ▶ Electrically controlled waste water tank drainage
- ▶ Central technology compartment
- ▶ 140 HP motor, Euro 6d-Final
- ▶ Noise-insulated window roller blinds (Seitz comfort roller blinds)
- ▶ Background lighting
- ▶ Illuminated entrance area with space for a TV of up to 32" (all floor plans except 660 EB)
- ▶ Kitchen base unit with pull-outs
- ▶ Worktop illuminated from underneath for illumination of the kitchen pull-outs
- ▶ Comfort shower with back-lit shower column (depending on floor plan)
- ▶ Shower grid in the washroom
- ▶ Single-bed floor plans with adjustable bed frame and pull-out for conversion into a double bed
- ▶ USB port for charging mobile devices
- ▶ Anchor rail for rear garage
- ▶ Seitz framed window flush with the external wall
- ▶ Access door with window and waste bin
- ▶ Mini Heki skylight over rear bed
- ▶ 16" wheels
- ▶ LED exterior lighting over body door
- ▶ 230 V power socket in washroom
- ▶ Combi 6 heating starting with 720 EB, 720 EF
- ▶ Alde hot water heating for models from 7.50m length
- ▶ Passenger airbag
- ▶ Traction+ with hill descent control
- ▶ Manual air conditioning system in the driver's cab

Profila T / Floor plans



NEW



PT 660 EB

Total length:	6.99 m
Total width:	2.32 m
Weight class:	3.5 t
Number of seats:	4
Sleeping berths:	2/4 (optional)

- + Two 2m long comfort single beds
- + Extra-large rear garage with large loading volume
- + Comfortable L-shaped seating group with side bench seat
- + Screen pull-out at the seating group (optional)
- + Washroom with integrated shower and swivel washbasin
- + Longitudinal kitchen with extra-wide pull-outs and 142-litre refrigerator



NEW

PT 675 SB

Total length:	6.99 m
Total width:	2.32 m
Weight class:	3.5 t
Number of seats:	4
Sleeping berths:	2/4 (optional)

- + Longitudinally installed double bed with particularly comfortable entry height
- + Rear bathroom with integrated shower cubicle
- + Ergonomically designed corner kitchen with 140-litre refrigerator in individual arrangement
- + Large storage space under the rear bed for camping furniture etc.
- + Floor-to-ceiling wardrobe
- + Comfortable L-shaped seating group with 1.1 m-wide sofa on the passenger side
- + Generous open space effect due to free lines of sight



NEW

PT 695 EB

Total length:	6.99 m
Total width:	2.32 m
Weight class:	3.5 t
Seats:	4 (5) (optional)
Sleeping berths:	2/4 (optional)

- + Single beds in the rear
- + Large rear garage
- + Ergonomically designed corner kitchen with 143-litre refrigerator
- + Comfortable L-shaped seating group
- + Washroom with shower and swivel washbasin



NEW



PT 720 EB

Total length:	7.41 m
Total width:	2.32 m
Weight class:	3.5 t
Seats:	4 (5) (optional)
Sleeping berths:	2/4 (optional)

- + Single beds in the rear
- + Large rear garage
- + Rear bathroom with separate shower
- + Washroom as separate dressing room variably closable on both sides with sliding doors
- + Ergonomically designed corner kitchen with 142-litre refrigerator in individual arrangement
- + Comfortable L-shaped seat bench with single seat on the passenger side



NEW



PT 720 EF

Total length:	7.41 m
Total width:	2.32 m
Weight class:	3.5 t
Number of seats:	4
Sleeping berths:	2/4 (optional)

- + Comfort seating group with two-person sofas positioned opposite each other
- + Table with folding top, height adjustable
- + Single beds in the rear
- + Large rear garage
- + Rear bathroom with separate shower
- + Washroom as separate dressing room variably closable on both sides with sliding doors



NEW

PT 720 QF

Total length:	7.57 m
Total width:	2.32 m
Weight class:	3.5 t
Number of seats:	4
Sleeping berths:	2 (4) (optional)

- + Comfort seating group with two-person sofas positioned opposite each other
- + Table with folding top
- + Central queen bed in the rear
- + Bed with sliding slatted frame, adjustable headboard and linen compartment
- + Large rear garage thanks to height-adjustable bed
- + Washroom variably closable on both sides with sliding doors



NEW

PT 730 EF

Total length:	7.57 m
Total width:	2.32 m
Weight class:	3.5 t
Number of seats:	4
Sleeping berths:	2 (4) (optional)

- + Single beds with low entry height
- + Large storage spaces under the beds
- + Rear washroom across the entire width of the vehicle with separate shower
- + Bedroom separated from the living room with sliding door
- + Comfort seating group with two-person sofas positioned opposite each other
- + Table with folding top

Profila T / Feature packages

ALL-INCLUSIVE ↘

PREMIUM FEATURES "MONDIAL PLUS PACKAGE" INCLUDED AS STANDARD:

Bumpers painted in the vehicle colour	Automatic air conditioning
Steering wheel controls	Leather steering wheel and gearshift knob
Electric exterior mirrors	16" aluminium rims
Captain's chair seats	Inductive charging station
Rear-view camera (single)	Carpet in the driver's cab
Electric parking brake	Multi-function exterior socket
Radiator grille in piano black	External shower (cold/warm)
Body door with 2-point locking and central locking system	External gas socket on passenger side
Roof - "Sun Roof" panoramic glass roof insulated	Insulated curtain
Electric roof fan	Heat exchanger
Heki skylight roof hood	Combi 6 E heating (surcharge compared to Combi 4 / Combi 6)
Manual dimming system for driver's cab	Exclusive rear design
Mesh door screen	Lithium battery
Pre-cabling for solar power system	
Radio preparation incl. DAB+	
Navigation system	
Twin-eye rear-view camera	

OPTIONAL ↘

Driving assistance package

OPTIONAL FOR THE: PROFILA T

Emergency braking and lane departure assistant
Rain and light sensor
Traffic sign recognition
Automatic beam dipping

Driving assistance plus package

OPTIONAL FOR THE: PROFILA T

Emergency braking and lane departure assistant
Rain and light sensor
Traffic sign recognition
Automatic beam dipping
Adaptive cruise control
Intelligent speed assistant
Fatigue assistant

Profila T / Technical specifications



PT 660 EB



PT 675 SB



PT 695 EB

BASIC VEHICLE	Fiat Ducato 16" / 3.5 t	Fiat Ducato 16" / 3.5 t	Fiat Ducato 16" / 3.5 t
Engine model, Euro 6d Final	103 kW (140 HP)	103 kW (140 HP)	103 kW (140 HP)
Engine models (optional)	130 kW (180 HP)	130 kW (180 HP)	130 kW (180 HP)
Chassis	Fiat CCS low-slung frame	Fiat CCS low-slung frame	Fiat CCS low-slung frame
Fuel tank	l 75 Diesel + 19 l Ad Blue	75 Diesel + 19 l Ad Blue	75 Diesel + 19 l Ad Blue

DIMENSIONS AND WEIGHTS

Double floor height	cm	11	11	11
Load capacity in the rear storage area	l	2,700	1,500	2,700
Size of storage door at the rear	cm	85 x 115	85x70	85x115
Wheelbase	m	4.04	4.04	4.04
Tyres		225/75R16C	225/75 R16C	225/75 R16C
Total techn. perm. weight when laden	kg	3,500 // 4,250 // 4,400 (optional)	3,500 // 4,250 // 4,400 (optional)	3,500 // 4,250 // 4,400 (optional)
Weight in ready-to-drive state ¹⁾	kg	3,050 // 3,090 (optional)	3,030 // 3,070 (optional)	3,040 // 3,080 (optional)
Trailer weight, braked ²⁾	kg	2,000 // 1,800 // 1,750 (optional)	2,000 // 1,800 // 1,750 (optional)	2,000 // 1,800 // 1,750 (optional)
Total length	m	6.99	6.99	6.99
Total width	m	2.32	2.32	2.32
Total height incl. Heki	m	2.86	2.86	2.86
Interior width	m	2.17	2.17	2.17
Standing height	m	1.98	1.98	1.98
Dimensions of front side seating group	cm	115 x 105	115 x 105	115 x 105
Bed conversion of the seating group ³⁾	cm	200 x 115	200 x 124	200 x 115
Dimensions of rear bed	cm	195 x 80, 195 x 80	195 x 137	190 x 80, 185 x 80
Dimension of longitudinal bench	cm	50 x 65	110 x 65	55 x 65
Sleeping areas		2/4 (optional)	2/4 (optional)	2/4 (optional)
Permissible number of people ⁴⁾		4	4	4 (5) optional
3-point seatbelts total		4	4	4
Number of Isofix		1	1	1
Framed window with mesh screen		4	4	4
Number of service flaps		2	2	2
Wall thickness of walls, roof, floor	mm	30 / 30 / 38	30 / 30 / 38	30 / 30 / 38
Fresh water / waste water tank	l	140 (25)* /100	140 (25)* /100	140 (25)* /100
Battery capacity	Ah	80 Gel	80 Gel	80 Gel
Refrigerator	l	142	140	142

¹⁾ Dimensions in ready-to-drive state as per EU Directive 1230/2012. Vehicle with standard equipment according to the manufacturer specifications, 90% of the fill capacity for fuel, 75 kg (weight of the driver), water in drive position, gas (ALU 11-kg gas cylinder), without special features ²⁾ Note the weight of the vehicle/trailer combination ³⁾ Not in conjunction with OE 6470 wardrobe instead of single seat* only with belts facing away from the direction of travel ** Only with seat belts facing away from the direction of travel and 40 H chassis *** Water volume in drive position. If there is sufficient residual cargo, the water tank with a marked capacity of 25 l can be filled to its actual capacity of 140 l **** Only in conjunction with 40 H chassis

PROFILAT



PT 720 EB



PT 720 EF



PT 720 QF



PT 730 EF

Fiat Ducato 16" / 3.5 t

Fiat Ducato 16" / 3.5 t

Fiat Ducato 16" / 3.5 t

Fiat Ducato 16" / 3.5 t

103 kW (140 HP)

103 kW (140 HP)

103 kW (140 HP)

103 kW (140 HP)

130 kW (180 HP)

130 kW (180 HP)

130 kW (180 HP)

130 kW (180 HP)

Fiat CCS low-slung frame

Fiat CCS low-slung frame

Fiat CCS low-slung frame

Fiat CCS low-slung frame

75 Diesel + 19 l Ad Blue

75 Diesel + 19 l Ad Blue

75 Diesel + 19 l Ad Blue

75 Diesel + 19 l Ad Blue

11

11

11

37

3,000

3,000

1,500

1,500

80x115

80x115

80 x 115

85 x 55

4.04

4.04

4.04

4.04

225/75 R16C

225/75 R16C

225/75 R16C

225/75R16C

3,500 // 4,250 // 4,400 (optional)

3,500 // 4,250 // 4,400 (optional)

3,500 // 4,250 // 4,400 (optional)

3,500 // 4,250 // 4,400 (optional)

3,160 // 3,200 (optional)

3,210 // 3,250 (optional)

3,270 // 3,310 (optional)

3,245 // 3,285 (optional)

2,000 // 1,800 // 1,750 (optional)

2,000 // 1,800 // 1,750 (optional)

2,000 // 1,800 // 1,750 (optional)

2,000 // 1,800 // 1,750 (optional)

7.41

7.41

7.57

7.57

2.32

2.32

2.32

2.32

2.86

2.86

2.86

2.86

2.17

2.17

2.17

2.17

1.98

1.98

1.98

1.98

115 x 105

99 x 60

99 x 60

99 x 60

200 x 115

200 x 100

200 x 100

200 x 100

2 x 203 x 84

2 x 203 x 83

190 x 147

200 x 75, 197 x 75

55 x 65

99 x 60

99 x 60

99 x 60

2/4 (optional)

2/4 (optional)

2/4 (optional)

2/4 (optional)

4 (5) optional

3 (4) optional

3 (4) optional

3 (4) optional

4

4

4

4

1

2

2

2

4

4

4

4

2

2

2

2

30 / 30 / 38

30 / 30 / 38

30 / 30 / 38

30 / 30 / 38

140 (25)* /100

138 (25)* /100

138 (25)* /100

138 (25)***/150

80 Gel

80 Gel

80 Gel

80 Gel

142

142

142

142



Find an authorised Eura Mobil dealer near you!